




# GENERAL CATALOGUE

10



KEEP FIXING YOUR FUTURE

EN

nobex.it





We are driven by the desire to go beyond our limits. For us, **every achievement is not the finish line** but the chance to push even further. You'll feel this energy on every page that follows, **a true leap forward for Nobex**: the tangible expression of our evolution, a tribute to technical excellence, and a trusted benchmark for professionals.

**Nobex's entry into Sistem Air Group** was not just a business move, the natural alignment of our shared passion for technical excellence. This investment was driven by a clear vision: **to provide professionals with reliability in their work and establish ourselves as a trusted partner by their side**. As a European industry leader with a strong international presence, Sistem Air Group brings its experience and industrial strength to support a historic brand that, for over thirty years, **has been a benchmark in the production of fastening systems**.

This catalog is tangible proof of our vision and illustrates our direction: solutions designed to address all fastening requirements, from universal nylon and steel anchors to highly specific applications where Nobex's design expertise makes the difference. But that's not all. **The high product quality**, which underpins every stage of the process, from engineering to certification, now reaches new heights, driven by the competitiveness and technical excellence of a highly specialized Group.

**Substance comes first**. has always had technical expertise in its DNA, and today, it fully unleashes its potential with Sistem Air Group, whose mission is built on competence and dedicated service to professionals. **Behind every fastening solution stands a team of specialists** who study, design, manufacture, test and ensure that each product is not just effective but the best possible tool for the job.

**Because when it comes to fastening, it cannot and must not be otherwise.**

**Giancarlo Plebani**  
Founder and CEO of Sistem Air Group



# Nobex

Nobex is a brand of Sistem Air Group Tecnoplus Srl, an Italian leader in mechanical manufacturing, cleaning solutions and project development for third parties.

It processes steel, iron, and plastic to offer the market endless solutions. A complete range, covering everything from design to the finished product, distributed through integrated logistics.

Founded in 1993 in Gravellona Lomellina, it is now **the largest European manufacturer in the field**, with a stable presence in over 54 countries worldwide.

**A global player recognized internationally for its high product standards and exceptional after-sales service.**

## Design & engineering

Cutting-edge ideas that anticipate market trends, designed to meet evolving needs.

We start with a product concept, design and engineer it, then entrust it to the expertise of our highly specialized in-house technicians.

**We are a full-cycle manufacturer, capable of turning every project into reality.**






Production and logistics  
are the key to success.



From the productive  
heart of Italy, fastening  
systems are exported  
to over 54 countries  
worldwide.





▶▶ It will be the only  
thing on your  
mind.

[nobex.it](http://nobex.it)

# ▶▶ Designed for professionals

## A unique range to do it all

Nobex is the trusted partner for professionals who demand reliable solutions **with no compromises**. We know the needs of those who work in the field every day and how essential it is to rely on high-quality products that are **easy to choose and always available**. That's why we offer a complete range designed to meet every requirement with precision.

Our products are born from a deep understanding of the industry's real needs. Each solution is meticulously crafted to ensure high performance, safety, and long-term durability—because we know that the right fixing is not just a detail but a key element for the success of every job.

**With the Nobex catalog, professionals will find everything they need.**  
With the confidence of choosing solutions designed to make a difference.







# Certifications


Nobex is certified under **ISO 9001:2015** for corporate quality management systems.

We ensure the **highest quality throughout the entire production process**, from raw material inspection to final product storage, with full traceability of each production batch.












# Legend

This guide simplifies the reading of product specifications in the catalog.

To access the full documentation, **scan the QR code** next to each item to download the technical data sheet.



















## Certifications and documentations

<b>ETA - European Technical Approval</b> Option 1 for cracked and uncracked concrete Option 7 for uncracked concrete	 
<b>FM Approved</b>	
<b>VDS Schadenverhütung</b>	
<b>VDS CEA</b> VDS CEA 4001:2008-11 (03) for applications of water extinguishing systems on concrete elements	
<b>VOC CLASSIFICATION - Volatile Organic Compounds</b>	
<b>Fire certification</b>	
<b>EAD - European Assessment Document</b> Tests conducted according to the relevant EAD guidelines at DICAR, University of Pavia	
<b>Istituto Giordano</b> Tests performed in the institute's testing laboratory	
<b>University of Pavia</b> Tests conducted at the Department of Civil Engineering and Architecture	
<b>Safety Data Sheet</b>	



HEAVY FIXINGS

BASE MATERIAL
















	LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
	 <b>TMC 7</b>	Through-bolt expansion anchor in steel, ETA Option 7 certified for un-cracked concrete, suitable for applications on compact materials for high load capacity.											2	
	 <b>TMC 7 inox</b>	Through-bolt expansion anchor in steel, ETA Option 7 certified for un-cracked concrete, suitable for applications on compact materials for high load capacity. Available in Inox A4.											3	
	<b>TM-FL</b>	Through-bolt expansion anchor in steel for cracked and non-cracked concrete, suitable for applications on compact materials for high load capacity. Suitable for heavy carpentry, temporary structures, industrial shelving, awnings, anchoring of air conditioning and electrical systems, shelves, stairs, elevator tracks, cable carrier structures, gates and railings, road signs, street furniture, etc. Available in TMX, INOX, A2 and A4 versions.											4	
	<b>NX</b>	Non-through steel anchor, single-body expansion suitable for applications on compact materials for high-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, cable-carrying structures, fire and safety ladders for machinery, structures for ventilated facades, road signs, profiles, etc..											6	
	<b>NX-B</b>		6											
	<b>NX-BF</b>		7											
	<b>NX-OA</b>		7											
	<b>NX-OC</b>		7											
	 <b>HSP</b>		Non-through steel anchor, expansion for non-cracked concrete, suitable for applications on compact materials for high-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, brackets, cable-carrying structures, fire and safety ladders for machinery, structures for ventilated facades, road signs, profiles, etc.											8
	 <b>HSP-B</b>			8										
	<b>HSP-OA</b>	9												
	<b>HSP-OC</b>	9												

= suitable application

= subject to verification of the base material consistency

## HEAVY FIXINGS

## BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE-SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 <b>SXP</b>	Non-through steel anchor with multi-sector expansion, suitable for applications on compact materials for medium-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, cable-carrying structures, fire and safety ladders, gates and railings, machinery, structures for ventilated facades, road signs, profiles, etc.											10	
 <b>SXP-B</b>												10	
 <b>SXP-OA</b>													11
 <b>SXP-OC</b>													11
 <b>DROP IN</b>	Non-through steel anchor with internal thread, with expansion by punch, for non-cracked concrete for medium and heavy fixing. Suitable for applications with spaced loads and/or suspended elements.											12	
 <b>DROP SF CE7</b>  	Non-through steel anchor with internal thread, with expansion by punch, ETA Option 7 approved, for non-cracked concrete for medium and heavy fixing. Suitable for applications with spaced loads and/or suspended elements.											12	
 <b>DROP INOX</b>    	Non-through steel anchor with internal thread, with expansion by punch, ETA Option 7 approved, for non-cracked concrete for medium and heavy fixing. Suitable for applications with spaced loads and/or suspended elements. Made in Inox A4.											13	
 <b>Punzone</b>	Tool for expanding the internal cone of the Drop anchor range.											13	
 <b>NTO</b> 	Non-through brass anchor with internal threading and expansion, suitable for fixings on compact materials for applications with spaced loads and/or suspended elements.											13	

MEDIUM-HEAVY FIXINGS

BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 SXL-V	Through-bolt anchor, in light steel with expansion. Suitable for applications on compact and semi-compact materials for medium-capacity loads. Recommended for metal carpentry, temporary structures, industrial shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, stairs, elevator tracks, cable carrier structures, gates and railings, road signs, street furniture, windows, etc..											14	
 SXL-OAF													14
 SXL-OCF													15

= suitable application

= subject to verification of the base material consistency





## UNIVERSAL FIXINGS

## BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 <p><b>EMC<sup>2</sup></b> <b>Ø6-Ø8</b></p>	<p>Universal bi-material anchor with double edge and advanced anti-rotation system. Suitable for fixing medium-light loads on compact, semi-compact, perforated materials, plasterboard panels and sheets, tuff and cellular concrete.</p>											19	
 <p><b>NC</b></p>	<p>Universal multi-expansion nylon anchor suitable for compact, semi-compact, perforated materials, plasterboard panels and sheets. Suitable for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, etc...</p>											20	
 <p><b>NCV</b></p>												21	
 <p><b>NCV-TE</b></p>												21	
 <p><b>BUCKET NCV</b></p>													20
 <p><b>BUCKET NCV-HMSU</b></p>													21
 <p><b>A</b></p>													22
 <p><b>AB</b></p>		<p>Universal nylon expansion anchor with and without edge, suitable for compact, semi-compact, perforated materials for medium-light loads. Fitting for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc..</p>											23
 <p><b>AV-TC</b></p>												24	
 <p><b>AV-TE</b></p>												24	
 <p><b>AVB-TC</b></p>												25	








**UNIVERSAL LIGHT FIXINGS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 <b>TOP-CB in polypropylene</b>	Universal polypropylene anchor with or without edge collar, multi-expansion, suitable for compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc...											26
 <b>TOP-V CB in polypropylene</b>												
 <b>TFN in nylon</b>	Universal nylon anchor, with edge collar, suitable for compact, semi-compact, perforated materials, panels and sheets for medium-light loads. Fitting for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc.											27
 <b>TFN-V in nylon</b>												

**UNIVERSAL FIXINGS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 <b>TOP FUN-V</b>	Nylon expansion anchors with metric screw, suitable for fixing on compact, semi-compact and perforated materials, for spaced installations for medium-light loads. Fixing of lamps, wall units, paintings, burglar alarm systems, wooden planks, switches, bathroom accessories, wall cabinets, curtains and curtain rods, etc.											28	
 <b>TOP FUN-GC</b>													28
 <b>TOP FUN-GM</b>													28
 <b>TOP FUN-GL</b>													29
 <b>TOP FUN-OA</b>													29
 <b>TOP FUN-OC</b>													29
 <b>TOP FUN-DD</b>													29




= suitable application

= subject to verification of the base material consistency





## EXTENDED UNIVERSAL FIXINGS

### BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 TOP FUNP-V	Extended universal expansion anchor in nylon and steel, complete with washer and pre-assembled screw, suitable for medium-load fixings. Suitable for fixing wall units, lamps, frames, bathroom accessories, wall cabinets, mailboxes, curtains, curtain accessories, and more.											30
 TOP FUNP-GC												30
 TOP FUNP-GM												



## MEDIUM-LIGHT UNIVERSAL FIXINGS

### BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 NNB	Nylon expansion through type anchor, suitable for fixing on compact, semi-compact and perforated materials for medium-light loads, suitable for fixing water heaters, boilers, wall units, systems, bathroom accessories, wall cabinets, disappearing shelves, windows, gates, railings, grilles, garden furniture, road signs, gazebos, etc..											31
 NNBB												


## PLASTERBOARD ANCHORS

### BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 SPV	Self-drilling non-through nylon anchor, suitable for drywall and light-load applications.											32
 SPZ	Self-drilling non-through Zamak anchor, suitable for drywall and light-load applications.											32




**FALSE CEILING ANCHORS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 TC	Steel anchor, for spaced installations of both rigid and flexible suspended ceiling hangers on compact materials.											32



**HOLLOW WALLS AND PLASTERBOARD ANCHORS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 HAV	Non-through nylon anchor suitable for plasterboard and hollow walls, for light loads.											33
 NGB	Non-through nylon fast anchor with Allen screw for cellular concrete.											33
 TSP	Wood-threaded D7505A screw											33

**STEEL ANCHORS FOR FALSE CEILINGS, PLASTERBOARD AND CELLULAR CONCRETE**

**BASE MATERIAL**







LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 CPV	Non-through tipe, expansion steel anchor suitable for fixing light loads on plasterboard panels, for medium-light loads.											34
 PINZA	CPV applicator.											34

= suitable application

= subject to verification of the base material consistency









## EXTENDED ANCHORS FOR WINDOW FRAMES

## BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 NC-PS	Extended nylon anchor, with a special 4-sector expanding body geometry that allows for differentiated expansion depending on the type of installation material. Suitable for fixing profiles, windows, wooden and steel roofs, wooden strips, counterframes, ventilated walls, etc.											35	
 NC-PS V												35	
 NC-PS T													36
 NC-PS TE													36
 NC-PS TEF													37
 NC-PS VTS													37

**EXTENDED ANCHORS FOR WINDOW FRAMES**

**BASE MATERIAL**



LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 <b>TNAP</b>	Through type nylon anchor, suitable for fixing window frames on compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing profiles, window frames in aluminum, wood, PVC, windows and French windows, fixtures, frames, roof substructures, gates, etc.											38	
 <b>TNAP-V</b>												39	
 <b>TNAP-T</b>													39
 <b>TNAP-TE</b>													40
 <b>TNAP-VTS</b>													40
 <b>TNSV</b>	Through type nylon anchor, suitable for fixing window frames on compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing profiles, window frames in aluminum, wood, PVC, windows and French windows, fixtures, frames, roof substructures, gates, etc.											41	
ABP 14-3 alette  <b>ABP</b> ABP 16-4 alette	Through type nylon anchor, suitable for fixing window frames on compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing profiles, window frames in aluminum, wood, PVC, windows and French windows, fixtures, frames, roof substructures, gates, etc.											42	
ABP 14-3 alette  <b>ABP TR</b> ABP 16-4 alette													42

= suitable application

= subject to verification of the base material consistency






## EXTENDED ANCHORS FOR WINDOW FRAMES

### BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 <b>AB PROL</b>	Through type nylon anchor, suitable for fixing window frames on compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing profiles, window frames in aluminum, wood, PVC, windows and French windows, fixtures, frames, roof substructures, gates, etc.											43
 <b>ABTR</b>												





## HAMMER-IN NYLON FAST ANCHORS

### BASE MATERIAL

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG	
 <b>TNSM-RE</b>	Nylon hammer-in anchor with pre-assembled screw, fast, controlled installation, through-type. Suitable for fixing roofs, wooden strips, fixtures, frames and counterframes, profiles, wall channels, electrical and hydraulic systems, drainpipes, etc.											44	
 <b>TNSM-SV</b>													45
 <b>TNSMX-RE</b>													46
 <b>TNSMX-SV</b>													46
 <b>TNB</b>													47
<b>TNB-RE</b>													44
<b>TNB-SV</b>													45

**HAMMER-IN NYLON ANCHORS FOR INSULATION SYSTEM - ETICS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
  <b>ISO</b>	<p>Polypropylene white anchor with percussive nail, steel, or polyamide reinforced with glass fiber, of the through-and-impact type. Suitable for fixing both rigid and soft insulating materials on compact and semi-compact materials such as polystyrene, polystyrene, glass wool, rock wool, etc.</p>											50
  <b>ISO-S CE</b>	<p>Polyamide anchor with steel or polyamide pin, ETA-approved according to ETAG 014, through- and hammer-in type, designed for the installation of ETICS (External Thermal Insulation Composite Systems). Suitable for rigid polyurethane, polystyrene, extruded polystyrene, cellular glass, mineral wool, and other compression-resistant insulating materials.</p>											51



**INSULATION INCREASED WASHER - ETICS**

**BASE MATERIAL**

LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
 <b>RP-I per ISO</b>	<p>Nylon washers for ISO anchors, with an enlarged diameter, designed for securing soft insulating materials.</p>											52

**SCREW-IN NYLON ANCHOR FOR INSULATION SYSTEMS - ETICS**

**BASE MATERIAL**









LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
  <b>ISO-ST</b>	<p>ETA-approved polyamide anchor with steel pin, screw-in type, designed for the installation of ETICS (External Thermal Insulation Composite Systems). With screw fixing to prevent damage to the substrate, it is suitable for all types of supports, especially polystyrene foam and mineral wool.</p>											52

= suitable application








= subject to verification of the base material consistency

## CHEMICAL FIXINGS





## BASE MATERIAL

		RECOMMENDED APPLICATIONS	CALCESTRUZZO	PIETRA NATURALE	MATTONI PIENI	MATTONE CLS PIENO	CLS CELLULARE	LEGNO	MATTONI FORATI	MATTONE CLS FORATO	CARTONGESSO	MATERIALI ISOLANTI	PAG
LINE													
	 <b>NCE</b> <b>300 400 ML</b>	Injection chemical anchor, vinyl-ester-based, styrene-free, with high adhesion values and superior performance. ETA Option 1 certified for heavy-duty fixings in compressed areas of un-cracked concrete.											56
	 <b>NCE PLUS</b> <b>300 420 ML</b>	Injection chemical anchor, urethane methacrylate-based, with high performance. Seismic C1/C2 and ETA Option 1 certified, suitable for heavy-duty fixings in tensioned, cracked, and compressed zones.											56
	 <b>NCF</b> <b>300 400 ML</b>	Injection chemical anchor, styrene-free polyester-based, with high adhesion values and high performances. Approved for heavy-duty fixings on masonry.											57
	 <b>NCS</b> <b>300 410 ML</b>	Injection chemical anchor, polyester-based, with high adhesion values. Suitable for medium to heavy-duty fixings.											57

## CHEMICAL FIXINGS ACCESSORIES

	LINE	RECOMMENDED APPLICATIONS	PAG
	<b>PST-RB</b>	Basic chemical resin gun	58
	<b>PST-RP</b>	Professional chemical resin gun 300 ml.	58
	<b>MIXER</b>	Spout with helical mixer for chemical resin extrusion.	58
	<b>AM</b>	Manual blower pump for residual dust removal after drilling.	59
	<b>SCO</b>	Steel hole brush for residual dust removal and enhancing grip after drilling.	59
	<b>ALB</b>	Steel sleeve with internal threading, featuring a knurled surface to enhance grip within the hole.	59
	<b>GN - GDN</b>	Single, double, and extended polypropylene drilled sleeves for chemical fixings, suitable for applications on compact, semi-compact, and hollow materials.	60

**CHEMICAL FIXINGS ACCESSORIES**






	LINE	RECOMMENDED APPLICATIONS	PAG
	GM	Steeleeve for chemical fixings at variable depths up to 1 m.	60
	BR	Threaded rods with nut and washer. Resistance class 4.8	61
	OC	Eyelets with metric thread for chemical fixings.	61
	GA	Hooks with metric thread for chemical fixings.	62

**SILICONES AND SEALANTS ACCESSORIES**

	LINE	RECOMMENDED APPLICATIONS	PAG
	PST-SB	Basic silicon gun.	62
	PST-SP	Professional silicon gun.	62

**SCAFFOLDING, ROPES AND CABLES FIXINGS**

**BASE MATERIAL**






















LINE	RECOMMENDED APPLICATIONS	CONCRETE	NATURAL STONE	SOLID BRICK	CONCRETE SOLID BRICK	AREATED CONCRETE	WOOD	HOLLOW BRICK	HOLLOW CONCRETE BRICK	DRYWALL	INSULATING	PAG
  Test report OC-24	Eyebolt Ø 24 mm with Ø 12 mm wood thread screw.											66
  Test report PTRO Ø 24	Ø 24 eyebolt for scaffolding and temporary structures, consisting of a self-gripping loop, 12mm wire, and nylon expansion anchor, designed for spaced installations. Suitable for applications on compact materials for high-load capacity.											66
 TA-U	Hole cover cap for multi-diameter scaffolding.											66

= suitable application

= subject to verification of the base material consistency



## POLYPROPYLENE SCAFFOLDING ACCESSORIES

	LINE	RECOMMENDED APPLICATIONS	PAG
	 <b>NSB</b> 	Scaffolding support square base. Universal, stackable, with high-load capacity 215x185 mm.	67
	 <b>SQ-T</b> 	Scaffolding support rectangular base. Stackable, with high-load capacity 245x185.	67
	 <b>SQ-I</b> 	Scaffolding support rectangular base. Stackable, with high-load capacity carico 245x185. Inclined at 5°, stackable to increase the angle of inclination.	67
	 <b>STR 5</b> 	Square load-distributing base for scaffolding. Height 5 cm.	68
	 <b>CB</b> 	Basic couplings cover	68
	 <b>NGC 50</b>	Scaffold signaling tube cover, cm 50 Ø 48.	68
	 <b>TPE 48</b>	Soft rubber tube cover yellow cap, for Ø 48.	69
	 <b>FPR</b>	red signaling cap, Ø 6 -22 / Ø 22-35.	69

# STEEL ANCHORS

## STEEL ANCHORS

TM-C7	2
TM-C7 INOX	3
TM-FL	4
NX	6-7
HSP	8-9
SXP	10-11
DROP/PUNCH	12-13
NTO	13
SXL	14-15


## Steel through bolt anchors

Through bolt anchor, for cracked and un-cracked concrete.

Suitable for applications on compact materials for high load capacity. Available in option 7, C1-C2, INOX A2 and A4. Suitable for heavy carpentry, temporary structures, industrial shelving, awnings, anchoring of air conditioning and electrical systems, shelves, stairs, elevator tracks, cable carrier structures, gates and railings, road signs, street furniture, etc

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

**TM C7** - Through bolt anchor




option 7



Code	Description	Ø T mm	LT mm	T/FIX mm	Box	Pack
NB56185*	Steel Through bolt anchor TM C 7 6x60	6	60	2	200 Pcs.	5 Boxes
NB56190*	Steel Through bolt anchor TM C 7 6x80	6	80	22	200 Pcs.	5 Boxes
NB56200	Steel Through bolt anchor TM C 7 8x60	8	60	3	100 Pcs.	5 Boxes
NB56205	Steel Through bolt anchor TM C 7 8x75	8	75	5	100 Pcs.	5 Boxes
NB56210	Steel Through bolt anchor TM C 7 8x90	8	90	30	100 Pcs.	5 Boxes
NB56215	Steel Through bolt anchor TM C 7 8x120	8	120	45	50 Pcs.	5 Boxes
NB56300	Steel Through bolt anchor TM C 7 10x80	10	80	13	50 Pcs.	5 Boxes
NB56305	Steel Through bolt anchor TM C 7 10x90	10	90	15	50 Pcs.	5 Boxes
NB56307	Steel Through bolt anchor TM C 7 10x100	10	100	25	50 Pcs.	5 Boxes
NB56310	Steel Through bolt anchor TM C 7 10x120	10	120	40	50 Pcs.	5 Boxes
NB56315	Steel Through bolt anchor TM C 7 10x140	10	140	60	25 Pcs.	5 Boxes
NB56320	Steel Through bolt anchor TM C 7 10x160	10	160	80	25 Pcs.	5 Boxes
NB56390	Steel Through bolt anchor TM C 7 12x90	12	90	13	25 Pcs.	5 Boxes
NB56400	Steel Through bolt anchor TM C 7 12x100	12	100	20	25 Pcs.	5 Boxes
NB56405	Steel Through bolt anchor TM C 7 12x110	12	110	23	25 Pcs.	5 Boxes
NB56407	Steel Through bolt anchor TM C 7 12x120	12	120	28	25 Pcs.	5 Boxes
NB56410	Steel Through bolt anchor TM C 7 12x140	12	140	48	25 Pcs.	5 Boxes
NB56415	Steel Through bolt anchor TM C 7 12x160	12	160	68	25 Pcs.	5 Boxes
NB56420	Steel Through bolt anchor TM C 7 12x180	12	180	88	10 Pcs.	5 Boxes
NB56520*	Steel Through bolt anchor TM C 7 14x120	14	120	22	25 Pcs.	5 Boxes
NB56545*	Steel Through bolt anchor TM C 7 14x145	14	145	37	25 Pcs.	5 Boxes
NB56600	Steel Through bolt anchor TM C 7 16x125	16	125	10	10 Pcs.	5 Boxes
NB56605	Steel Through bolt anchor TM C 7 16x145	16	145	23	10 Pcs.	5 Boxes
NB56610	Steel Through bolt anchor TM C 7 16x175	16	175	48	10 Pcs.	5 Boxes
NB56670*	Steel Through bolt anchor TM C 7 20x170	20	170	23	5 Pcs.	5 Boxes
NB56770*	Steel Through bolt anchor TM C 7 20x220	20	220	73	5 Pcs.	5 Boxes

\*Anchor without ETA

## TM C 7 - Through bolt anchor - stainless steel A4



### Inox A4

Code	Description	Ø T mm	LT mm	T/FIX mm	Box	Pack
NB57113	Through bolt anchor - stainless steel A4 TM C 7 8X75	8	75	5	100 Pcs.	5 Boxes
NB57116	Through bolt anchor - stainless steel A4 A4 TM C 7 8x90	8	90	20	100 Pcs.	5 Boxes
NB57119	Through bolt anchor - stainless steel A4 TM C 7 8x115	8	115	45	50 Pcs.	5 Boxes
NB57130	Through bolt anchor - stainless steel A4 TM C 7 10x70	10	70	3	100 Pcs.	5 Boxes
NB57133	Through bolt anchor - stainless steel A4 TM C 7 10x90	10	90	10	50 Pcs.	5 Boxes
NB57136	Through bolt anchor - stainless steel A4 TM C 7 10x120	10	120	40	50 Pcs.	5 Boxes
NB57139	Through bolt anchor - stainless steel A4 TM C 7 10x150	10	150	70	10 Pcs.	5 Boxes
NB57150	Through bolt anchor - stainless steel A4 TM C 7 12x75	12	75	5	25 Pcs.	5 Boxes
NB57153	Through bolt anchor - stainless steel A4 TM C 7 12x90	12	90	13	25 Pcs.	5 Boxes
NB57156	Through bolt anchor - stainless steel A4 TM C 7 12X110	12	110	18	25 Pcs.	5 Boxes
NB57159	Through bolt anchor - stainless steel A4 TM C 7 12x140	12	140	48	25 Pcs.	5 Boxes
NB57170	Through bolt anchor - stainless steel A4 TM C 7 16x90	16	90	5	20 Pcs.	5 Boxes
NB57173	Through bolt anchor - stainless steel A4 TM C 7 16X145	16	145	25	10 Pcs.	5 Boxes
NB57176	Through bolt anchor - stainless steel A4 TM C 7 16x170	16	170	48	10 Pcs.	5 Boxes
NB57190	Through bolt anchor - stainless steel A4 TM C 7 20x120	20	120	5	5 Pcs.	5 Boxes
NB57193	Through bolt anchor - stainless steel A4 TM C 7 20x170	20	170	25	5 Pcs.	5 Boxes
NB57196	Through bolt anchor - stainless steel A4 TM C 7 20x220	20	220	73	5 Pcs.	5 Boxes


Installation of cable rail and heavy duty carpentry



## Steel through bolt anchors

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

**TM-FL** - Steel Through bolt anchor



Code	Description	Ø T mm	LT mm	T/FIX mm	Box	Pack
NB52979	Steel Through bolt anchor TM-FL 6x45	6	45	1	200 Pcs.	5 Boxes
NB54300	Steel Through bolt anchor TM-FL 6x60	6	60	2	200 Pcs.	5 Boxes
NB52986	Steel Through bolt anchor TM-FL 6x80	6	80	22	200 Pcs.	5 Boxes
NB52988	Steel Through bolt anchor TM-FL 6x100	6	100	42	100 Pcs.	5 Boxes
NB59633	Steel Through bolt anchor TM-FL 8x50	8	50	4	100 Pcs.	5 Boxes
NB59635	Steel Through bolt anchor TM-FL 8x65	8	65	8	100 Pcs.	5 Boxes
NB52993	Steel Through bolt anchor TM-FL 8x75	8	75	5	100 Pcs.	5 Boxes
NB53006	Steel Through bolt anchor TM-FL 8x90	8	90	20	100 Pcs.	5 Boxes
NB59640	Steel Through bolt anchor TM-FL 8x115	8	115	45	50 Pcs.	5 Boxes
NB61520	Steel Through bolt anchor TM-FL 8x130	8	130	60	50 Pcs.	5 Boxes
NB61522	Steel Through bolt anchor TM-FL 8x160	8	160	85	25 Pcs.	5 Boxes
NB61524	Steel Through bolt anchor TM-FL 8x180	8	180	90	20 Pcs.	5 Boxes
NB61526	Steel Through bolt anchor TM-FL 8x200	8	200	130	20 Pcs.	5 Boxes
NB53013	Steel Through bolt anchor TM-FL 10x70	10	70	3	50 Pcs.	5 Boxes
NB53014	Steel Through bolt anchor TM-FL 10x80	10	80	13	50 Pcs.	5 Boxes
NB53020	Steel Through bolt anchor TM-FL 10x90	10	90	10	50 Pcs.	5 Boxes
NB53025	Steel Through bolt anchor TM-FL 10x100	10	100	20	50 Pcs.	5 Boxes
NB53037	Steel Through bolt anchor TM-FL 10x120	10	120	40	50 Pcs.	5 Boxes
NB53039	Steel Through bolt anchor TM-FL 10x140	10	140	60	50 Pcs.	5 Boxes
NB53043	Steel Through bolt anchor TM-FL 10x150	10	150	70	50 Pcs.	5 Boxes
NB53041	Steel Through bolt anchor TM-FL 10x170	10	170	90	25 Pcs.	5 Boxes
NB53047	Steel Through bolt anchor TM-FL 10x210	10	210	130	20 Pcs.	5 Boxes
NB53049	Steel Through bolt anchor TM-FL 12x75	12	75	5	50 Pcs.	5 Boxes
NB53044	Steel Through bolt anchor TM-FL 12x90	12	90	13	25 Pcs.	5 Boxes
NB74988	Steel Through bolt anchor TM-FL 12x110	12	110	18	25 Pcs.	5 Boxes
NB59664	Steel Through bolt anchor TM-FL 12x140	12	140	48	25 Pcs.	5 Boxes
NB61537	Steel Through bolt anchor TM-FL 12x160	12	160	68	25 Pcs.	5 Boxes
NB61540	Steel Through bolt anchor TM-FL 12x180	12	180	88	25 Pcs.	5 Boxes
NB61543	Steel Through bolt anchor TM-FL 12x200	12	200	120	20 Pcs.	5 Boxes
NB61545	Steel Through bolt anchor TM-FL 12x240	12	240	150	10 Pcs.	5 Boxes
NB54105	Steel Through bolt anchor TM-FL 14x95	14	95	5	25 Pcs.	5 Boxes
NB54110	Steel Through bolt anchor TM-FL 14x110	14	110	7	25 Pcs.	5 Boxes
NB54115	Steel Through bolt anchor TM-FL 14x130	14	130	15	25 Pcs.	5 Boxes
NB54120	Steel Through bolt anchor TM-FL 14x145	14	145	35	25 Pcs.	5 Boxes
NB54125	Steel Through bolt anchor TM-FL 14x160	14	160	55	25 Pcs.	5 Boxes
NB54130	Steel Through bolt anchor TM-FL 14x180	14	180	68	25 Pcs.	5 Boxes
NB59671	Steel Through bolt anchor TM-FL 16x90	16	90	4	20 Pcs.	5 Boxes
NB59673	Steel Through bolt anchor TM-FL 16x110	16	110	24	10 Pcs.	5 Boxes
NB53075	Steel Through bolt anchor TM-FL 16x125	16	125	3	10 Pcs.	5 Boxes
NB53082	Steel Through bolt anchor TM-FL 16x145	16	145	23	10 Pcs.	5 Boxes
NB54287	Steel Through bolt anchor TM-FL 16x170	16	170	48	10 Pcs.	5 Boxes
NB54292	Steel Through bolt anchor TM-FL 16x220	16	220	98	20 Pcs.	3 Boxes
NB54294	Steel Through bolt anchor TM-FL 20x145	20	145	8	5 Pcs.	5 Boxes
NB53341	Steel Through bolt anchor TM-FL 20x170	20	170	23	5 Pcs.	5 Boxes
NB53358	Steel Through bolt anchor TM-FL 20x220	20	220	73	5 Pcs.	5 Boxes
NB53360	Steel Through bolt anchor TM-FL 20x270	20	270	123	5 Pcs.	5 Boxes
NB53362	Steel Through bolt anchor TM-FL 24x180	24	180	-	5 Pcs.	2 Boxes
NB53364	Steel Through bolt anchor TM-FL 24x260	24	260	-	5 Pcs.	2 Boxes



▲ Installation of robotic equipment and assembly line

Installation of safety ladders and parapets




## Non-through steel anchors

Non-through steel anchor, single-body expansion suitable for applications on compact materials for high-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, cable-carrying structures, fire and safety ladders for machinery, structures for ventilated facades, road signs, profiles, etc..


**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### NX - One piece shield anchor



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB17	One piece shield anchor NX M6x45	6	45	12	100 Pcs.	5 Boxes
NB24	One piece shield anchor NX M8x55	8	55	14	50 Pcs.	5 Boxes
NB31	One piece shield anchor NX M10x65	6	65	16	50 Pcs.	5 Boxes
NB48	One piece shield anchor NX M12x75	12	75	20	25 Pcs.	5 Boxes
NB55	One piece shield anchor NX M16x90	16	90	24	25 Pcs.	5 Boxes

### NX-B - One piece shield anchor with screw TE 8.8 and washer




Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB79	One piece shield anchor NX-B M6x60 with screw TE 8.8 and washer	6	45	12	50 Pcs.	5 Boxes
NB86	One piece shield anchor NX-B M8x70 with screw TE 8.8 and washer	8	55	14	50 Pcs.	5 Boxes
NB93	One piece shield anchor NX-B M10x80 with screw TE 8.8 and washer	10	65	16	40 Pcs.	5 Boxes
NB109	One piece shield anchor NX-B M12x100 with screw TE 8.8 and washer	12	75	20	20 Pcs.	5 Boxes
NB277	One piece shield anchor NX-B M16x100 with screw TE 8.8 and washer	16	90	24	10 Pcs.	5 Boxes




## Non-through steel anchors

**NX-BF** - One piece shield anchor with treaded bar, nut and washer




Code	Description	Ø M	LV mm	Ø T mm	LT mm	Box	Pack
<b>NB116</b>	One piece shield anchor NX-BF M6x45 treaded bar, nut and washer	6	60	12	45	100 Pcs.	5 Boxes
<b>NB161</b>	One piece shield anchor NX-BF M8x55 treaded bar, nut and washer	8	80	14	55	50 Pcs.	5 Boxes
<b>NB130</b>	One piece shield anchor NX-BF M8x65 treaded bar, nut and washer	8	100	16	65	50 Pcs.	5 Boxes
<b>NB147</b>	One piece shield anchor NX-BF M10x75 treaded bar, nut and washer	10	85	20	75	40 Pcs.	5 Boxes
<b>NB154</b>	One piece shield anchor NX-BF M12x90 treaded bar, nut and washer	12	110	24	90	20 Pcs.	5 Boxes

**NX-OA** - One piece shield anchor with steel hook



Code	Description	Ø V mm	LT mm	Ø T mm	Box	Pack
<b>NB222</b>	One piece shield anchor NX-OA M6x45 steel hook	6	45	12	50 Pcs.	5 Boxes
<b>NB239</b>	One piece shield anchor NX-OA M8x55 steel hook	8	55	14	40 Pcs.	5 Boxes
<b>NB246</b>	One piece shield anchor NX-OA M10x65 steel hook	10	65	16	25 Pcs.	5 Boxes
<b>NB253</b>	One piece shield anchor NX-OA M12x75 steel hook	12	75	20	10 Pcs.	5 Boxes
<b>NB260</b>	One piece shield anchor NX-OA M16x90 steel hook	16	90	24	10 Pcs.	5 Boxes

**NX-OC** - One piece shield anchor with steel closed eyebolt



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB178</b>	One piece shield anchor NX-OC M6x45 steel closed eyebolt	6	45	12	50 Pcs.	5 Boxes
<b>NB185</b>	One piece shield anchor NX-OC M8x55 steel closed eyebolt	8	55	14	50 Pcs.	5 Boxes
<b>NB192</b>	One piece shield anchor NX-OC M10x65 steel closed eyebolt	10	65	16	25 Pcs.	5 Boxes
<b>NB208</b>	One piece shield anchor NX-OC M12x75 steel closed eyebolt	12	75	20	15 Pcs.	5 Boxes
<b>NB215</b>	One piece shield anchor NX-OC M16x90 steel closed eyebolt	16	90	24	10 Pcs.	5 Boxes

## Non-through steel anchors


Non-through steel anchor, expansion for non-cracked concrete, suitable for applications on compact materials for high-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, brackets, cable-carrying structures, fire and safety ladders for machinery, structures for ventilated facades, road signs, profiles, etc.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### HSP - Four shield steel anchor



DIPARTIMENTO  
INGEGNERIA  
CIVILE  
ARCHITETTURA  
**dicaR**




Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB60196</b>	Four shield steel anchor HSP M6x40	6	40	10	100 Pcs.	5 Boxes
<b>NB60202</b>	Four shield steel anchor HSP M8x50	8	50	14	50 Pcs.	5 Boxes
<b>NB60219</b>	Four shield steel anchor HSP M10x60	10	60	16	50 Pcs.	5 Boxes
<b>NB60226</b>	Four shield steel anchor HSP M12x80	12	80	20	25 Pcs.	5 Boxes
<b>NB60233</b>	Four shield steel anchor HSP M16x100	16	100	25	10 Pcs.	5 Boxes

### HSP-B - Four shield steel anchor with screw TE 8.8 and washer




DIPARTIMENTO  
INGEGNERIA  
CIVILE  
ARCHITETTURA  
**dicaR**



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB64156</b>	Four shield steel anchor HSP-B M6x50 with screw TE 8.8 and washer	6	50	10	50 Pcs.	5 Boxes
<b>NB64163</b>	Four shield steel anchor HSP-B M8x60 with screw TE 8.8 and washer	8	60	14	50 Pcs.	5 Boxes
<b>NB64170</b>	Four shield steel anchor HSP-B M10x70 with screw TE 8.8 and washer	10	70	16	25 Pcs.	5 Boxes
<b>NB64187</b>	Four shield steel anchor HSP-B M12x100 with screw TE 8.8 and washer	12	100	20	20 Pcs.	5 Boxes
<b>NB64194</b>	Four shield steel anchor HSP-B M16x130 with screw TE 8.8 and washer	16	130	25	15 Pcs.	5 Boxes


## Non-passing steel anchors

**HSP-OA** - Four shield steel anchor with steel hook



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB789	Four shield steel anchor HSP-OA M6x40 steel hook	6	40	10	50 Pcs.	5 Boxes
NB796	Four shield steel anchor HSP-OA M8x50 steel hook	8	50	14	50 Pcs.	5 Boxes
NB802	Four shield steel anchor HSP-OA M10x60 steel hook	10	60	16	25 Pcs.	5 Boxes
NB819	Four shield steel anchor HSP-OA M12x80 steel hook	12	80	20	10 Pcs.	5 Boxes

**HSP-OC** - Four shield steel anchor with steel closed eyebolt



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB826	Four shield steel anchor HSP-OC M6x40 steel closed eyebolt	6	40	10	50 Pcs.	5 Boxes
NB833	Four shield steel anchor HSP-OC M8x50 steel closed eyebolt	8	50	14	50 Pcs.	5 Boxes
NB840	Four shield steel anchor HSP-OC M10x60 steel closed eyebolt	10	60	16	25 Pcs.	5 Boxes
NB857	Four shield steel anchor HSP-OC M12x80 steel closed eyebolt	12	80	20	10 Pcs.	5 Boxes





◀ Installation of street furniture

## Non-through steel anchors

Non-through steel anchor with multi-sector expansion suitable for applications on compact materials for medium-capacity loads. Suitable for heavy carpentry, temporary structures, metal shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, cable-carrying structures, fire and safety ladders, gates and railings, machinery, structures for ventilated facades, road signs, profiles, etc.



**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### SXP - Non-through steel anchor



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB1410	Non-through steel anchor SXP M6x45	6	45	10	100 Pcs.	10 Boxes
NB1427	Non-through steel anchor SXP M8x50	8	50	12	100 Pcs.	5 Boxes
NB1434	Non-through steel anchor SXP M10x60	10	60	15	50 Pcs.	5 Boxes
NB1441	Non-through steel anchor SXP M12x75	12	75	18	50 Pcs.	5 Boxes


### SXP-B - Non-through steel anchor with screw TE 8.8 and washer



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB1458	Non-through steel anchor SXP-B 6x45 with screw TE 8.8 and washer	6	45	10	100 Pcs.	5 Boxes
NB1465	Non-through steel anchor SXP-B 8x50 with screw TE 8.8 and washer	8	50	12	50 Pcs.	5 Boxes
NB1472	Non-through steel anchor SXP-B 10x60 with screw TE 8.8 and washer	10	60	15	40 Pcs.	5 Boxes
NB1489	Non-through steel anchor SXP-B 12x75 with screw TE 8.8 and washer	12	75	18	20 Pcs.	5 Boxes


## Non-through steel anchors

### SXP-OA - Non-through steel anchor with steel hook



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB3254</b>	Non-through steel anchor SXP-OA M6x45 with steel hook	6	45	10	50 Pcs.	5 Boxes
<b>NB3261</b>	Non-through steel anchor SXP-OA M8x50 with steel hook	8	50	12	50 Pcs.	5 Boxes
<b>NB3278</b>	Non-through steel anchor SXP-OA M10x60 with steel hook	10	60	15	25 Pcs.	5 Boxes
<b>NB3285</b>	Non-through steel anchor SXP-OA M12x75 with steel hook	12	75	18	15 Pcs.	5 Boxes

### SXP-OC - Non-through steel anchor with steel closed eyebolt




Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB3216</b>	Non-through steel anchor SXP-OC M6x45 with steel closed eyebolt	6	45	10	50 Pcs.	5 Boxes
<b>NB3223</b>	Non-through steel anchor SXP-OC M8x50 with steel closed eyebolt	8	50	12	50 Pcs.	5 Boxes
<b>NB3230</b>	Non-through steel anchor SXP-OC M10x60 with steel closed eyebolt	10	60	15	25 Pcs.	5 Boxes
<b>NB3247</b>	Non-through steel anchor SXP-OC M12x75 with steel closed eyebolt	12	75	18	15 Pcs.	5 Boxes

## Internal threaded anchors

Non-through steel anchor with internal thread, with expansion by punch, for non-cracked concrete for medium and heavy fixing. Suitable for applications with spaced loads and/or suspended elements..


**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### DROP IN - Internal threaded anchor



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB53211	Internal threaded anchor DROP IN M 6x25 E 8 for punch	6	25	8	200 Pcs.	10 Boxes
NB53228	Internal threaded anchor DROP IN M 8x30 E 10 for punch	8	30	10	100 Pcs.	10 Boxes
NB53235	Internal threaded anchor DROP IN M 10x40 E 12 for punch	10	40	12	100 Pcs.	5 Boxes
NB53242	Internal threaded anchor DROP IN M 12x50 E 15 for punch	12	50	15	50 Pcs.	5 Boxes
NB53259	Internal threaded anchor DROP IN M 16x65 E 20 for punch	16	65	20	25 Pcs.	5 Boxes

### DROP SF CE7 - Internal threaded anchor option 7




Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB2035	Internal threaded anchor DROP SF CE7 M 6x25 E 8 for punch	6	25	8	200 Pcs.	10 Boxes
NB1991	Internal threaded anchor DROP SF CE7 M 8x30 E 10 for punch	8	30	10	100 Pcs.	10 Boxes
NB2004	Internal threaded anchor DROP SF CE7 M 10x40 E 12 for punch	10	40	12	100 Pcs.	5 Boxes
NB2011	Internal threaded anchor DROP SF CE7 M 12x50 E 15 for punch	12	50	15	50 Pcs.	5 Boxes
NB2028	Internal threaded anchor DROP SF CE7 M 16x65 E 20 for punch	16	65	20	25 Pcs.	5 Boxes



◀ Ceiling air conditioner installation

## Internal threaded anchors

**DROP INOX** - Internal threaded stainless steel A4 anchor



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB2141</b>	Internal threaded anchor DROP IX M 6x25 E 8 for punch	6	25	8	200 Pcs.	10 Boxes
<b>NB2158</b>	Internal threaded anchor DROP IX M 8x30 E 10 for punch	8	30	10	100 Pcs.	10 Boxes
<b>NB2165</b>	Internal threaded anchor DROP IX M 10x40 E 12 for punch	10	40	12	100 Pcs.	5 Boxes
<b>NB2189</b>	Internal threaded anchor DROP IX M 12x50 E 15 for punch	12	50	15	50 Pcs.	5 Boxes
<b>NB2172</b>	Internal threaded anchor DROP IX M 16x65 E 20 for punch	16	65	20	25 Pcs.	5 Boxes

**PUNCH** - For DROP installation




To expand internal cone



Code	Description	Passo M	Box	Pack
<b>NB5463</b>	Punch for DROP M 6	6	1 Pcs.	- Boxes
<b>NB5470</b>	Punch for DROP M 8	8	1 Pcs.	- Boxes
<b>NB29742</b>	Punch for DROP M 10	10	1 Pcs.	- Boxes
<b>NB5487</b>	Punch for DROP M 12	12	1 Pcs.	- Boxes
<b>NB5494</b>	Punch for DROP M 16	16	1 Pcs.	- Boxes

**NTO** - Internal threaded knurled brass anchor




Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
<b>NB75107</b>	Internal threaded NTO brass anchor M 5x20 E 6,5	5	20	6,5	200 Pcs.	10 Boxes
<b>NB75114</b>	Internal threaded NTO brass anchor M 6x23 E 8	6	23	8	300 Pcs.	10 Boxes
<b>NB75121</b>	Internal threaded NTO brass anchor M 8x28 E 10	8	28	10	300 Pcs.	5 Boxes
<b>NB1977</b>	Internal threaded NTO brass anchor M 10x32 E 12	10	32	12	100 Pcs.	5 Boxes
<b>NB1984</b>	Internal threaded NTO brass anchor M 12x38 E 15	12	38	15	100 Pcs.	5 Boxes

## Through steel anchors

Through anchor, in light steel with expansion. Suitable for applications on compact and semi-compact materials for medium-capacity loads. Fitting for metal carpentry, temporary structures, industrial shelving, awnings, anchoring of air conditioning, hydraulic and electrical systems, shelves, stairs, elevator tracks, cable carrier structures, gates and railings, road signs, street furniture, windows, etc..


**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### SXL-V - Through light steel anchor with screw TE 6.8 and washer



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB1496	Through bolts SXL-V E8x45 with screw TE	6	45	8	100 pcs	5 Boxes
NB1502	Through bolts SXL-V E8x60 with screw TE	6	60	8	100 pcs	5 Boxes
NB1533	Through bolts SXL-V E10x60 with screw TE	8	60	10	50 pcs	5 Boxes
NB1540	Through bolts SXL-V E10x80 with screw TE	8	80	10	50 pcs	5 Boxes
NB1571	Through bolts SXL-V E12x70 with screw TE	10	70	12	50 pcs	5 Boxes
NB1588	Through bolts SXL-V E12x100 with screw TE	10	100	12	25 pcs	5 Boxes
NB1595	Through bolts SXL-V E14x75 with screw TE	10	75	14	40 pcs	5 Boxes
NB1601	Through bolts SXL-V E14x100 with screw TE	10	100	14	25 pcs	5 Boxes
NB1618	Through bolts SXL-V E16x80 with screw TE	12	80	16	25 pcs	5 Boxes
NB1625	Through bolts SXL-V E16x110 with screw TE	12	110	16	25 pcs	5 Boxes

### SXL-OAF - Through light steel anchor with screw TE 6.8 and wire hook





Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB52216	Through bolts SXL-OAF E8x45 with hardware hook from wire	6	45	8	100 pcs	5 Boxes
NB52225	Through bolts SXL-OAF E10x60 with hardware hook from wire	8	60	10	50 pcs	5 Boxes
NB52240	Through bolts SXL-OAF E12x70 with hardware hook from wire	10	70	12	25 pcs	5 Boxes
NB52250	Through bolts SXL-OAF E16x80 with hardware hook from wire	12	80	16	25 pcs	5 Boxes



## Through steel anchors

**SXL-OCF** - Through light steel anchor with screw TE 6.8 and wire eyebolt



Code	Description	Ø M	LT mm	Ø T mm	Box	Pack
NB52254	Through bolts SXL-OCF E8x45 with wire eyebolt	6	45	8	100 pcs	5 Boxes
NB52273	Through bolts SXL-OCF E10x60 with wire eyebolt	8	60	10	50 pcs	5 Boxes
NB52280	Through bolts SXL-OCF E12x70 with wire eyebolt	10	70	12	25 pcs	5 Boxes
NB52288	Through bolts SXL-OCF E16x80 with wire eyebolt	12	80	16	25 pcs	5 Boxes



▲ Installation of industrial metal shelving

# LIGHT FIXINGS

## LIGHT FIXINGS IN STEEL AND NYLON

EMC <sup>2</sup>	19
NC	20-21
BUCKET NCV	20-21
A	22
AB	23
AV-AVB	24-25
TOP	26
TFN	27
TOP FUN	28-29
TOP FUNP	30
NNB-NNBB	31
SPV	32
SPZ	32
TC	32
HAV	33
NGB	33
TSP	33
CPV	34
PINZA	34
NC-PS	35-37
TNAP	38-40
TNSV	41
ABP	42
ABP-TR	42
AB PROL	43
AB TR	43
TNSM	44
TNSMX	46
TNB	47

**EMC<sup>2</sup> Bi-Material Anchors**

Universal bi-material anchor with double edge and advanced anti-rotation system suitable for fixing medium-light loads on compact, semi-compact, perforated materials, plasterboard panels and sheets, tuff and cellular concrete.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, HOLLOW BRICK, TUFF, DRYWALL PANEL, AND AREATED CONCRETE.



**The Nobex EMC<sup>2</sup>** is a universal bi-material anchor, designed to offer high performance on different types of building materials.

**MAIN FEATURES :**

- Materials: The combination of two materials through a thermochemical bond guarantees the EMC2 anchor high mechanical resistance and durability over time.

- Design: The anchor features an edge with an increased diameter in double composition and an anti-rotation finning composed of 8 prismatic sealing elements, 2 of which are for locking during extraction, ensuring total grip throughout the thickness of the material.

- Anti-vibration function: The structure of the anchor provides an anti-vibration function, increasing the safety and stability of the fixing.

**Environmental benefits:**

The production process of the EMC2 anchor requires lower energy consumption and reduced CO2 emissions, making it an environmentally friendly product from its origin. Furthermore, it is completely recyclable.



nobex.it



ENERGY-SAVING PRODUCTION



ANTIVIBRATION



SOFT TOUCH



REDUCED CO<sub>2</sub> EMISSIONS



MULTIMATERIAL



ANTI-SLIP



WATERPROOF



SEISMIC TESTING



100% RECYCLABLE



THERMOCHEMICAL BONDING





HIGH PERFORMANCE

## EMC<sup>2</sup> Bi-Material Anchors

### EMC<sup>2</sup> - Universal Bi-material anchor $\varnothing$ 6


SISTEMI  
INGEGNERIA  
CIVILE  
ARCHITETTURA



Code	Description	$\varnothing$ T mm	LT mm	$\varnothing$ V mm	LV mm	Box	Pack
NB179106	Bi-material plug EMC <sup>2</sup> 6X40 with screw TSP 3,5X50	6	40	3,5	50	50 pcs	50 boxes
NB179116	Bi-material plug EMC <sup>2</sup> 6X40 with screw TSP 3,5X50	6	40	3,5	50	100 pcs	25 boxes
NB179126	Bi-material plug EMC <sup>2</sup> 6X40 with screw TSP 3,5X50	6	40	3,5	50	200 pcs	10 boxes

### EMC<sup>2</sup> - Universal Bi-material anchor $\varnothing$ 8

SISTEMI  
INGEGNERIA  
CIVILE  
ARCHITETTURA



Code	Description	$\varnothing$ T mm	LT mm	$\varnothing$ V mm	LV mm	Box	Pack
NB179108	Bi-material plug EMC <sup>2</sup> 8X50 with screw TSP 4,5X60	8	50	4,5	60	20 pcs	50 boxes
NB179118	Bi-material plug EMC <sup>2</sup> 8X50 with screw TSP 4,5X60	8	50	4,5	60	50 pcs	25 boxes
NB179128	Bi-material plug EMC <sup>2</sup> 8X50 with screw TSP 4,5X60	8	50	4,5	60	80 pcs	10 boxes


## Nylon anchors

Universal multi-expansion nylon anchor suitable for compact, semi-compact, perforated materials, plasterboard panels and sheets. Suitable for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, etc...



**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, HOLLOW BRICK, TUFF, DRYWALL PANEL, AND AREATED CONCRETE.

### NC - Universal nylon anchor



#### Standard packaging




Code	Description	Ø T mm	LT mm	Box	Pack
NB187768	Universal nylon anchor NC 5 5x25	5	25	200 pcs	20 boxes
NB167928	Universal nylon anchor NC 6 6x30	6	30	100 pcs	50 boxes
NB167935	Universal nylon anchor NC 8 8x40	8	40	100 pcs	50 boxes
NB167942	Universal nylon anchor NC 10 10x50	10	50	50 pcs	25 boxes
NB167950	Universal nylon anchor NC 10 10x60	10	60	50 pcs	25 boxes
NB187674	Universal nylon anchor NC 12 12x60	12	60	25 pcs	25 boxes
NB187704	Universal nylon anchor NC 14 14x70	14	70	20 pcs	25 boxes

#### Plastic bag packaging



Code	Description	Ø T mm	LT mm	Single bag	Pack
NB173910	Plastic bag universal nylon anchor NC 5 5x25	5	25	1.000 pcs	10 boxes
NB173912	Plastic bag universal nylon anchor NC 6 6x30	6	30	1.000 pcs	10 boxes
NB173929	Plastic bag universal nylon anchor NC 8 8x40	8	40	500 pcs	10 boxes
NB173936	Plastic bag universal nylon anchor NC 10 10x50	10	50	250 pcs	12 boxes
NB173943	Plastic bag universal nylon anchor NC 12 12x60	12	60	150 pcs	12 boxes
NB173950	Plastic bag universal nylon anchor NC 14 14x70	14	70	100 pcs	12 boxes

#### Bulks packaging



Code	Description	Ø T mm	LT mm	Box	Pallet packaging
NB187759	Bulk universal nylon anchor NC 5 5x25	5	25	55.000 pcs	20 boxes
NB168093	Bulk universal nylon anchor NC 6 6x30	6	30	32.000 pcs	20 boxes
NB168109	Bulk universal nylon anchor NC 8 8x40	8	40	15.000 pcs	20 boxes
NB168116	Bulk universal nylon anchor NC 10 10x50	10	50	3.500 pcs	20 boxes
NB168120	Bulk universal nylon anchor NC 10 10x60	10	60	3.000 pcs	20 boxes
NB187667	Bulk universal nylon anchor NC 12 12x60	12	60	5.000 pcs	14 boxes
NB187698	Bulk universal nylon anchor NC 14 14x70	10	60	1800 pcs	20 boxes


### BUCKET NCV - Universal nylon anchor with screw DIN 7505/A



Code	Description	Bucket	Pack
NB174066	Bucket with nylon anchor NCV 6 6x30 with screw TSP 4,5x40	300 pcs	8 bucket
NB174088	Bucket with nylon anchor NCV 8 8x40 with screw TSP 5x50	150 pcs	8 bucket
NB174110	Bucket with nylon anchor NCV 10 1x50 with screw TSP 6x60	75 pcs	8 bucket

## Nylon anchors

**NCV** - Universal nylon anchor with screw DIN 7505/A




### Standard packages



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB167941</b>	Universal nylon anchor NCV 5 5x25 with screw TSP 4,0x30	5	25	4,0	30	200 pcs	25 boxes
<b>NB167966</b>	Universal nylon anchor NCV 6 6x30 with screw TSP 4,5x40	6	30	4,5	40	100 pcs	25 boxes
<b>NB167973</b>	Universal nylon anchor NCV 8 8x40 with screw TSP 5x50	8	40	5	50	100 pcs	10 boxes
<b>NB167980</b>	Universal nylon anchor NCV 10 10x50 with screw TSP 6x60	10	50	6	60	50 pcs	10 boxes
<b>NB167985</b>	Universal nylon anchor NCV 10 10x60 with screw TSP 6x80	10	60	6,0	80	50 pcs	5 boxes

**NCV-TE** - Universal nylon anchor with screw DIN 571 and washer



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB187844</b>	Universal nylon anchor NCV-TE 8 8x40 with screw TE 5x50	8	40	5	50	100 pcs	5 boxes
<b>NB187851</b>	Universal nylon anchor NCV-TE 10 10x50 with screw TE 6x60	10	50	6	60	100 pcs	5 boxes
<b>NB187858</b>	Universal nylon anchor NCV-TE 12 12x60 with screw TE 8x70	12	60	8	70	50 pcs	5 boxes
<b>NB187865</b>	Universal nylon anchor NCV-TE 14 14x70 with screw TE 10x80	14	70	10	80	25 pcs	5 boxes

**BUCKET NCV-HMSU** - Universal nylon anchor with screw DIN 7505/A, wall drill bit HM-SU and wall drill bit SDS plus



Code	Description	Bucket	Pack
<b>NB209066</b>	Bucket with nylon anchor NCV 6 6x30 screw TSP 4,5x40 drill bit HM-SU and drill bit SDS plus	300 pcs	8 bucket
<b>NB209088</b>	Bucket with nylon anchor NCV 8 8x40 screw TSP 5x50 drill bit HM-SU and drill bit SDS plus	150 pcs	8 bucket
<b>NB209099</b>	Bucket with nylon anchor NCV 10 10x50 screw TSP 6x60 drill bit HM-SU and drill bit SDS plus	75 pcs	8 bucket

## Universal nylon anchors



Universal nylon expansion anchor with and without edge, suitable for compact, semi-compact, perforated materials for medium-light loads. Fitting for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc..



**SUPPORT MATERIAL**

CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK AND WOOD

### A - Universal nylon anchor without edge



#### Standard Packaging



Code	Description	Ø T mm	LT mm	Box	Pack
NB4633	Universal nylon anchor A without edge 4x20	4	20	200 pcs	20 boxes
NB4640	Universal nylon anchor A without edge 5x25	5	25	200 pcs	20 boxes
NB75152	Universal nylon anchor A without edge 6x30	6	30	100 pcs	100 boxes
NB75138	Universal nylon anchor A without edge 7x30	7	30	100 pcs	100 boxes
NB75145	Universal nylon anchor A without edge 8x40	8	40	100 pcs	50 boxes
NB75169	Universal nylon anchor A without edge 10x50	10	50	50 pcs	25 boxes
NB4695	Universal nylon anchor A without edge 12x60	12	60	25 pcs	25 boxes
NB4701	Universal nylon anchor A without edge 14x75	14	75	20 pcs	25 boxes
NB8044	Universal nylon anchor A without edge 16x80	16	80	20 pcs	10 boxes

#### Plastic bag packaging



Code	Description	Ø T mm	LT mm	Plastic bag pcs	Pack
NB65948	Plastic bag universal nylon anchor A without edge 4x20	4	20	1.000 pcs	10 bags
NB75176	Plastic bag universal nylon anchor A without edge 5x25	5	25	1.000 pcs	12 bags
NB75183	Plastic bag universal nylon anchor A without edge 6x30	6	30	1.000 pcs	12 bags
NB75190	Plastic bag universal nylon anchor A without edge 8x40	8	40	500 pcs	12 bags
NB75282	Plastic bag universal nylon anchor A without edge 10x50	10	50	250 pcs	12 bags

#### Bulk packaging





Code	Description	Ø T mm	LT mm	Box	Pallet packaging
NB74902	Bulk universal nylon anchor A without edge 4x20	4	20	90.000 pcs	15 boxes
NB75077	Bulk universal nylon anchor A without edge 5x25	5	25	60.000 pcs	15 boxes
NB75008	Bulk universal nylon anchor A without edge 6x30	6	30	38.000 pcs	20 boxes
NB75015	Bulk universal nylon anchor A without edge 7x30	7	30	30.000 pcs	20 boxes
NB75022	Bulk universal nylon anchor A without edge 8x40	8	40	17.000 pcs	20 boxes
NB75039	Bulk universal nylon anchor A without edge 10x50	10	50	11.500 pcs	20 boxes
NB4800	Bulk universal nylon anchor A without edge 12x60	12	60	3.500 pcs	20 boxes
NB4817	Bulk universal nylon anchor A without edge 14x75	14	75	2.000 pcs	20 boxes
NB4824	Bulk universal nylon anchor A without edge 16x80	16	80	1.800 pcs	20 boxes



# Universal nylon anchors

**AB** - Universal nylon anchor with edge collar



### Standard Packaging

Code	Description	Ø T mm	LT mm	Box	Pack
NB62039	Universal nylon anchor AB with edge collar 4x20	4	20	200 pcs	20 boxes
NB75206	Universal nylon anchor AB with edge collar 5x25	5	25	200 pcs	20 boxes
NB75213	Universal nylon anchor AB with edge collar 6x30	6	30	100 pcs	100 boxes
NB51910	Universal nylon anchor AB with edge collar 7x30	7	30	100 pcs	100 boxes
NB75220	Universal nylon anchor AB with edge collar 8x40	8	40	100 pcs	50 boxes
NB75237	Universal nylon anchor AB with edge collar 10x50	10	50	50 pcs	25 boxes
NB75404	Universal nylon anchor AB with edge collar 10x60	10	60	40 pcs	25 boxes
NB50784	Universal nylon anchor AB with edge collar 12x60	12	60	25 pcs	25 boxes
NB51842	Universal nylon anchor AB with edge collar 14x75	14	75	20 pcs	25 boxes



### Plastic bag packaging

Code	Description	Ø T mm	LT mm	Plastic bag pcs	Pack
NB62046	Plastic bag universal nylon anchor AB with edge collar 4x20	4	20	1.000 pcs	10 bags
NB49610	Plastic bag universal nylon anchor AB with edge collar 5x25	5	25	1.000 pcs	10 bags
NB75343	Plastic bag universal nylon anchor AB with edge collar 6x30	6	30	1.000 pcs	10 bags
NB49597	Plastic bag universal nylon anchor AB with edge collar 8x40	8	40	500 pcs	10 bags
NB49603	Plastic bag universal nylon anchor AB with edge collar 10x50	10	50	250 pcs	12 bags







### Bulk packaging

Code	Description	Ø L mm	L mm	Box	Pallet packaging
NB74995	Bulk universal nylon anchor AB with edge collar 4x20	4	20	90.000 pcs	15 boxes
NB75046	Bulk universal nylon anchor AB with edge collar 5x25	5	25	60.000 pcs	15 boxes
NB75053	Bulk universal nylon anchor AB with edge collar 6x30	6	30	32.000 pcs	20 boxes
NB50548	Bulk universal nylon anchor AB with edge collar 7x30	7	30	24.000 pcs	20 boxes
NB75060	Bulk universal nylon anchor AB with edge collar 8x40	8	40	15.000 pcs	20 boxes
NB74889	Bulk universal nylon anchor AB with edge collar 10x50	10	50	10.000 pcs	16 boxes
NB5203	Bulk universal nylon anchor AB with edge collar 10x60	10	60	6.000 pcs	20 boxes
NB49405	Bulk universal nylon anchor AB with edge collar 12x60	12	60	3.200 pcs	20 boxes
NB51835	Bulk universal nylon anchor AB with edge collar 14x75	14	75	1.800 pcs	20 boxes

Universal nylon anchors





**AV-TC** - Universal nylon anchor without edge with screw DIN 7505/A



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB75244	Universal nylon anchor AV without edge 5x25 with screw TSP 4x30	5	25	4,0	30	200 pcs	25 boxes
NB75251	Universal nylon anchor AV without edge 6x30 with screw TSP 4,5x40	6	30	4,5	40	100 pcs	25 boxes
NB75268	Universal nylon anchor AV without edge 8x40 with screw TSP 5,0x45	8	40	5,0	45	100 pcs	10 boxes
NB75275	Universal nylon anchor AV without edge 10x50 with screw TSP 6,0x60	10	60	6,0	60	50 pcs	10 boxes

Universal nylon anchors




**AV-TE** - Universal nylon anchor without edge with screw DIN 571 and washer



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB8075	Universal nylon anchor AV-TE without edge 8X40 with screw TE 6x45	8	40	6	45	100 pcs	10 boxes
NB8082	Universal nylon anchor AV-TE without edge 10x50 with screw TE 7x60	10	50	7	60	100 pcs	5 boxes
NB8099	Universal nylon anchor AV-TE without edge 12x60 with screw TE 8x70	12	60	8	70	50 pcs	5 boxes
NB8105	Universal nylon anchor AV-TE without edge 14x75 with screw TE 10x80	14	75	10	80	25 pcs	5 boxes
NB8112	Universal nylon anchor AV-TE without edge 16x80 with screw TE 12x90	16	80	12	90	25 pcs	5 boxes

## Universal nylon anchors

**AVB-TC** - Universal nylon anchor with edge collar with screw DIN 7505/A



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB75411</b>	Universal nylon anchor AVB with edge collar 5x25 with screw TSP 4x30	5	25	4,0	30	200 pcs	25 boxes
<b>NB75428</b>	Universal nylon anchor AVB with edge collar 6x30 with screw TSP 4,5x40	6	30	4,5	40	100 pcs	25 boxes
<b>NB75435</b>	Universal nylon anchor AVB with edge collar 8x40 with screw TSP 5,0x45	8	40	5,0	45	100 pcs	10 boxes
<b>NB75442</b>	Universal nylon anchor AVB with edge collar 10x50 with screw TSP 6,0x60	10	60	6,0	60	50 pcs	10 boxes



◀ Wall installations


## Universal anchors

Universal polypropylene anchor with edge collar, multi-expansion, suitable for compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc....

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK



### TOP-CB - Universal polypropylene anchor



#### Standard Packaging



Code	Description	Ø T mm	LT mm	Box	Pack
NB7924	Universal plug TOP-CB polypropylene 6x38	6	38	200 pcs	25 boxes
NB7931	Universal plug TOP-CB polypropylene 8x51	8	51	100 pcs	10 boxes
NB7948	Universal plug TOP-CB polypropylene 10x60	10	60	50 pcs	10 boxes

#### Plastic bag packaging





Code	Description	Ø T mm	LT mm	Plastic bag	Pack
NB49375	Plastic bag universal plug TOP-CB polypropylene 6x38	6	38	1.000 pcs	10 boxes
NB49382	Plastic bag universal plug TOP-CB polypropylene 8x51	8	51	500 pcs	10 boxes
NB49399	Plastic bag universal plug TOP-CB polypropylene 10x60	10	60	250 pcs	12 boxes

#### Bulk packaging



Code	Description	Ø T mm	LT mm	Box	Pallet packaging
NB48149	Bulk universal plug TOP-CB polypropylene 6x38	6	38	35.000 pcs	16 sctole
NB48156	Bulk universal plug TOP-CB polypropylene 8x51	8	51	15.000 pcs	16 boxes
NB47791	Bulk universal plug TOP-CB polypropylene 10x60	10	60	6.000 pcs	16 boxes

### TOP-V CB - Universal polypropylene anchor with screw DIN 7505/A



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB20558	Universal plug TOP-V CB polypropylene 6x38 with screw TSP 4x50	6	38	4	50	100	11 boxes
NB20565	Universal plug TOP-V CB polypropylene 8x51 with screw TSP 5x60	8	51	5	60	50	10 boxes
NB20572	Universal plug TOP-V CB polypropylene 10x60 with screw TSP 6x70	10	60	6	70	40	10 boxes



## Universal nylon anchors

Universal nylon anchor, with edge collar, suitable for compact, semi-compact, perforated materials, panels and sheets for medium-light loads. Fitting for fixing lamps, curtain and curtain rod guides, small wall units and cabinets, light carpentry, switches and electrical panels, letterboxes, small paintings and wall objects, etc.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK.



### TFN - Universal nylon anchor suited for hollow brick and panel



#### Standard Packaging

Code	Description	Ø T mm	LT mm	Box	Pack
NB45780	Universal nylon anchor TFN 6x40	6	40	200 pcs	10 boxes
NB45797	Universal nylon anchor TFN 8x50	8	50	100 pcs	10 boxes
NB45803	Universal nylon anchor TFN 10x60	10	60	50 pcs	10 boxes



#### Plastic bag packaging

Code	Description	Ø T mm	LT mm	Plastic bag	Pack
NB73967	Plastic bag universal nylon anchor TFN 6x40	6	40	1.000	10 boxes
NB73974	Plastic bag universal nylon anchor TFN 8x50	8	50	500	10 boxes
NB73981	Plastic bag universal nylon anchor TFN 10x60	10	60	250	12 boxes

#### Bulk packaging

Code	Description	Ø T mm	LT mm	Box	Pallet packaging
NB46176	Bulk universal nylon anchor TFN 6x40	6	40	20.000 pcs	16 boxes
NB46183	Bulk universal nylon anchor TFN 8x50	8	50	10.000 pcs	16 boxes
NB46190	Bulk universal nylon anchor TFN 10x60	10	60	6.000 pcs	16 boxes

### TFN-V - Universal anchor in nylon for hollow brick and panel with chipboard screw DIN 7505/A



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB45810	Universal nylon anchor TFN-V 6x40 with screw TSP 3,5x45	6	40	3,5	45	100 pcs	10 boxes
NB45827	Universal nylon anchor TFN-V 8x50 with screw TSP 4,5x60	8	50	4,5	60	50 pcs	10 boxes
NB45834	Universal nylon anchor TFN-V 10x60 with screw TSP 6x80	10	60	10	80	40 pcs	5 boxes

## Universal anchors


### hardware included

Nylon expansion anchors with metric screw, suitable for fixing on compact, semi-compact and perforated materials, for spaced installations for medium-light loads. Fixing of lamps, wall units, paintings, burglar alarm systems, wooden planks, switches, bathroom accessories, wall cabinets, curtains and curtain rods, etc.,





**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

### TOP FUN-V - Universal nylon anchor with metric screw





Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB17641</b>	Nylon plug TOP FUN-V 4 9x40 with metric screw 4x45	9	40	4	52	100 pcs	5 boxes
<b>NB17658</b>	Nylon plug TOP FUN-V 5 12x45 with metric screw 4x50	12	45	5	55	100 pcs	5 boxes

### TOP FUN-CG - Universal nylon anchor with hardware - short hook





Code	Description	LG mm	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB17665</b>	Nylon plug TOP FUN-GC 4 9x40 with short hook 4x45	7	9	40	4	45	100 pcs	5 boxes
<b>NB17672</b>	Nylon plug TOP FUN-GC 5 12x45 with short hook 5x50	7	12	45	5	50	100 pcs	5 boxes

### TOP FUN-GM - Universal nylon anchor with hardware - medium hook





Code	Description	LG mm	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB129773</b>	Nylon plug TOP FUN-GM 4 9x40 with medium hook 4x45	10	9	40	4	-	100 pcs	5 boxes
<b>NB17689</b>	Nylon plug TOP FUN-GM 5 12x45 with medium hook 5x50	10	12	45	5	-	100 pcs	5 boxes

## TOP FUN-GL - Universal nylon anchor with hardware - long hook





Code	Description	LG mm	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB17696	Nylon plug TOP FUN-GL 4 9x40 with long hook 4x45	20	9	40	4	-	100 pcs	5 boxes
NB17702	Nylon plug TOP FUN-GL 5 12x45 with long hook 5x50	20	12	45	5	-	100 pcs	5 boxes

## TOP FUN-OA - Universal nylon anchor with hardware - open hook




Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Ø G mm	Box	Pack
NB17719	Nylon plug TOP FUN-OA 4 9x40 with open eye hook	9	40	4	45	12	100 pcs	5 boxes
NB17726	Nylon plug TOP FUN-OA 5 12x45 with open eye hook	12	45	5	50	12	100 pcs	5 boxes

## TOP FUN-OC - Universal nylon anchor with eye closed hook



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Ø G mm	Busta singola	Pack
NB17733	Nylon plug TOP FUN-OA 4 9x40 with eye closed hook	9	40	4	45	12	100 pcs	5 boxes
NB17740	Nylon plug TOP FUN-OA 5 12x45 with eye closed hook	12	45	5	50	12	100 pcs	5 boxes

## TOP FUN-DD - Universal nylon anchor with threaded bar and double nut



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB17757	Nylon plug TOP FUN-DD 4 9x40 with metric screw and double nut	9	40	4	73	100 pcs	5 boxes
NB17764	Nylon plug TOP FUN-DD 5 12x45 with metric screw and double nut	12	45	5	76	100 pcs	5 boxes



**Universal prolonged anchors**

**Hardware included**

Nylon expansion prolonged anchors with metric screw, suitable for fixing on compact, semi-compact and perforated materials, for spaced installations for medium-light loads. Fixing of lamps, wall units, paintings, burglar alarm systems, wooden planks, switches, bathroom accessories, wall cabinets, curtains and curtain rods, etc.,



**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

**TOP FUNP-V** - Universal nylon prolonged anchor with metric screw





Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB17771	Extra long nylon plug TOP FUNP-V 4 9x50 with metric screw 4x65	9	50	4	65	100 pcs	5 boxes
NB17788	Extra long nylon plug TOP FUNP-V 5 12x55 with metric screw 5x65	12	55	5	65	100 pcs	5 boxes

**TOP FUNP-GC** - Universal nylon prolonged anchor with hardware - short hook



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB17795	Extra long nylon plug TOP FUNP-GC 4 9x50 with short hook 4x60	9	50	4	60	100 pcs	5 boxes
NB17801	Extra long nylon plug TOP FUNP-GC 5 12x55 with short hook 5x60	12	55	5	60	100 pcs	5 boxes

**TOP FUNP-GM** - Universal nylon prolonged anchor with hardware - medium hook



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB17818	Extra long nylon plug TOP FUNP-GM 4 9x50 with short hook 4x60	9	50	4	60	100 pcs	5 boxes
NB17825	Extra long nylon plug TOP FUNP-GM5 12x55 with short hook 5x60	12	55	5	60	100 pcs	5 boxes




## Universal prolonged anchors

Nylon expansion through type anchor, suitable for fixing on compact, semi-compact and perforated materials for medium-light loads, suitable for fixing water heaters, boilers, wall units, systems, bathroom accessories, wall cabinets, disappearing shelves, windows, gates, railings, grilles, garden furniture, road signs, gazebos, etc..

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK





### NNB - Nylon expansion through type anchor with pawl



Code	Description	Ø T mm	LT mm	Ø Interno mm	Box	Pack
<b>NB8556</b>	Through type nylon anchor NNB 8x70	12	70	8	50 pcs	5 boxes
<b>NB8563</b>	Through type nylon anchor NNB 10x75	14	75	10	50 pcs	5 boxes

### NNBB - Nylon expansion through type anchor with pawl and screw TE






Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
<b>NB8570</b>	Through type nylon anchor NNB 12 12x70 with screw TE 8x80	12	70	8	80	40 pcs	5 boxes
<b>NB8587</b>	Through type nylon anchor NNB 14 14x75 with screw TE 10x80	14	75	10	80	40 pcs	5 boxes

## Plasterboard and ceiling anchors

Nylon and zamak anchors specific for installation on plasterboard, drywall and cellular concrete panels.


**SUPPORT MATERIALS** PLASTERBOARD, DRYWALL, CELLULAR CONCRETE AND FALSE CEILING

**SPV** - Self-drilling nylon anchor for plasterboard w or w/o chipboard screw DIN 7505/A






Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB5913	Self drilling nylon anchor SP 6x37	6	37	-	-	100 pcs	10 boxes
NB5920	Self drilling nylon anchor SP 6x37 with screw TSP 4x30	6	37	4	30	100 pcs	10 boxes

### Bulk packaging



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pallet packaging
NB49030	Self drilling nylon anchor bulk SP 6x37	6	37	-	-	15.000 pcs	16

**SPZ** - Self-drilling zamak anchor for plasterboard w or w/o chipboard screw DIN 7505/A



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB5883	Self drilling zamak anchor SP 6x37	6	37	-	-	100 pcs	10 boxes
NB5890	Self drilling zamak anchor SP 6x37 with screw TSP 4,5x40	6	37	4,5	40	100 pcs	10 boxes

### Bulk packaging




Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pallet packaging
NB49047	Self drilling zamak anchor bulk SP 6x37	6	37	-	-	3.000 pcs	44

## False ceiling anchors

Steel anchor, for spaced installations of both rigid and flexible suspended ceiling hangers on compact materials.

**SUPPORT MATERIAL** CONCRETE

**TC** - Steel anchor for false ceiling



Code	Description	Ø T mm	LT mm	Box	Pack
NB3610	Steel anchor TC 6x50 for false ceiling	6	50	100 pcs	10 boxes
NB3612	Steel anchor TC 6x60 for false ceiling	6	60	100 pcs	10 boxes


## Hollow wall, plasterboards and cellular concrete anchors

Non-through nylon anchor suitable for plasterboard and hollow walls, for light loads.

**SUPPORT MATERIAL** PERFORATED BRICKS, PERFORATED CONCRETE BRICKS PLASTERBOARD



**HAV** - Non-through nylon anchor for light loads.




Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	LC mm	Box	Pack
<b>NB5937</b>	Nylon anchor HAV 10x38	10	38	-	-	10	100 pcs	5 boxes
<b>NB5944</b>	Nylon anchor HAV 17x47	10	47	-	-	17	100 pcs	5 boxes

### Bulk packaging



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Busta singola pcs	Pallet packaging
<b>NB49023</b>	Nylon anchor bulk HAV 10x38	10	38	-	-	8.000 pcs	16
<b>NB49016</b>	Nylon anchor bulk HAV 17x47	17	47	4,5	40	7.000 pcs	16

**NGB** - Non-through nylon fast anchor, with Allen screw for cellular concrete



Code	Description	Ø foro mm	Ø T mm	LT mm	Box	Pack
<b>NB97543</b>	Nylon easy anchor NGB 4x50 with screw allen screw 4	10	4	50	100 pcs	5 boxes
<b>NB97550</b>	Nylon easy anchor NGB 6x50 with screw allen screw 6	10	6	50	100 pcs	5 boxes
<b>NB97567</b>	Nylon easy anchor NGB 8x60 with screw allen screw 8	12	8	60	50 pcs	5 boxes
<b>NB97574</b>	Nylon easy anchor NGB 10x70 with screw allen screw 10	14	10	70	50 pcs	5 boxes

**TSP** - Flat countersunk head screws



Code	Description	Ø V mm	LV mm	Box	Pack
<b>NB87117</b>	Bulk TSP 4,0x30 recessed Pozidrive screw	4	30	12.000 pcs	1 boxes
<b>NB87124</b>	Bulk TSP 4,5x40 recessed Pozidrive screw	4,5	40	5.000 pcs	1 boxes


## Hollow wall steel anchors

Non-through tipe, expansion steel anchor suitable for fixing light loads on plasterboard panels, for medium-light loads.

**SUPPORT MATERIAL** HOLLOW BRICK, HOLLOW CONCRETE BRICK, PLASTERBOARD



### CPV - Steel anchor with Pozi domed screw



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Box	Pack
NB5996	Hollow wall steel anchor CPV 8x32 with rounded screw 4x36	8	32	4	36	100 pcs	5 boxes
NB5998	Hollow wall steel anchor CPV 9x37 with rounded screw 4x37	9	37	5	42	100 pcs	5 boxes
NB6002	Hollow wall steel anchor CPV 9x65 with rounded screw 4x38	9	65	5	70	100 pcs	5 boxes
NB6019	Hollow wall steel anchor CPV 10x52 with rounded screw 4x39	10	52	6	57	100 pcs	5 boxes
NB6026	Hollow wall steel anchor CPV 10x65 with rounded screw 4x40	10	65	6	70	100 pcs	5 boxes
NB6028	Hollow wall steel anchor CPV-B 13x45 with hex screw 8x50	8	45	8	50	50 pcs	- boxes
NB6030	Hollow wall steel anchor CPV-B 13x75 with hex screw 8x50	8	75	8	78	50 pcs	- boxes

### PINZA - CPV applicator



Code	Description	Box	Pack
NB6006	CPV fixing tool for steel anchor up to 10 mm	1 pcs	5 boxes
NB6008	CPV-B fixing tool for steel anchor over 10 mm	1 pcs	5 boxes


## Window frames prolonged nylon anchors

Nylon prolonged anchor, with a special 4-sector expanding body geometry that allows for differentiated expansion depending on the type of installation material. Suitable for fixing profiles, windows, wooden and steel roofs, wooden strips, counterframes, ventilated walls, etc.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, PERFORATED BRICKS, PERFORATED CONCRETE BRICK





### NC-PS - Prolonged nylon anchor



Code	Description	Ø T mm	LT mm	Box	Pack
NB175000	Extra long nylon anchor NC-PS 8x80	8	80	100 pcs	5 boxes
NB175005	Extra long nylon anchor NC-PS 8x100	8	100	100 pcs	5 boxes
NB175010	Extra long nylon anchor NC-PS 8x120	8	120	100 pcs	5 boxes
NB175015	Extra long nylon anchor NC-PS 8x140	8	140	50 pcs	5 boxes
NB175050	Extra long nylon anchor NC-PS 10x80	10	80	50 pcs	5 boxes
NB175055	Extra long nylon anchor NC-PS 10x100	10	100	50 pcs	5 boxes
NB175060	Extra long nylon anchor NC-PS 10x120	10	120	50 pcs	5 boxes
NB175065	Extra long nylon anchor NC-PS 10x140	10	140	50 pcs	5 boxes
NB175070	Extra long nylon anchor NC-PS 10x160	10	160	50 pcs	5 boxes
NB175075	Extra long nylon anchor NC-PS 10x200	10	200	50 pcs	5 boxes

### NC-PS V - Prolonged nylon anchor with pozidrive screw




Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Box	Pack
NB175100	Extra long nylon anchor NC-PS V 8x80 with Pozi screw 5,5x85	8	80	5,5	85	100 pcs	5 boxes
NB175105	Extra long nylon anchor NC-PS V 8x100 with Pozi screw 5,5x105	8	100	5,5	105	100 pcs	5 boxes
NB175110	Extra long nylon anchor NC-PS V 8x120 with Pozi screw 5,5x125	8	120	5,5	125	100 pcs	5 boxes
NB175115	Extra long nylon anchor NC-PS T 8x140 with Pozi screw 5,5x145	8	140	5,5	145	50 pcs	5 boxes

## Window frames prolonged nylon anchors

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, PERFORATED BRICKS, PERFORATED CONCRETE BRICK





### NC-PS T - Prolonged nylon anchor with Torx screw



Ø 8 Torx T30/ Ø 10 Torx T40

Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Box	Pack
NB175200	Extra long nylon anchor NC-PS T 8x80 with torx screw 5,5x85	8	80	5,5	85	50 pcs	5 boxes
NB175205	Extra long nylon anchor NC-PS T 8x100 with torx screw 5,5x105	8	100	5,5	105	50 pcs	5 boxes
NB175210	Extra long nylon anchor NC-PS T 8x120 with torx screw 5,5x125	8	120	5,5	125	100 pcs	5 boxes
NB175215	Extra long nylon anchor NC-PS T 8x140 with torx screw 5,5x145	8	140	5,5	145	50 pcs	5 boxes
NB175300	Extra long nylon anchor NC-PS T 10x80 with torx screw 7x85	10	80	7	85	100 pcs	5 boxes
NB175305	Extra long nylon anchor NC-PS T 10x100 with torx screw 7x105	10	100	7	105	50 pcs	5 boxes
NB175310	Extra long nylon anchor NC-PS T 10x120 with torx screw 7x125	10	120	7	125	100 pcs	5 boxes
NB175315	Extra long nylon anchor NC-PS T 10x140 with torx screw 7x145	10	140	7	145	50 pcs	5 boxes
NB175320	Extra long nylon anchor NC-PS T 10x160 with torx screw 7x165	10	160	7	165	100 pcs	5 boxes
NB175325	Extra long nylon anchor NC-PS T 10x200 with torx screw 7x205	10	200	7	205	50 pcs	5 boxes


### NC-PS TE - Prolonged nylon anchor with TE screw



Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Box	Pack
NB175400	Extra long nylon plug NC-PS TE 10x80 with screw TE 7x85	10	80	7	85	50 pcs	5 boxes
NB175405	Extra long nylon plug NC-PS TE 10x100 with screw TE 7x105	10	100	7	105	50 pcs	5 boxes
NB175410	Extra long nylon plug NC-PS TE 10x120 with screw TE 7x125	10	120	7	125	50 pcs	5 boxes
NB175415	Extra long nylon plug NC-PS TE 10x140 with screw TE 7x145	10	140	7	145	50 pcs	5 boxes
NB175420	Extra long nylon plug NC-PS TE 10x160 with screw TE 7x165	13	160	7	165	50 pcs	5 boxes
NB175425	Extra long nylon plug NC-PS TE 10x200 with screw TE 7x205	10	200	7	205	50 pcs	5 boxes



## Window frames prolonged nylon anchors

### NC-PS TEF - Prolonged nylon anchor with TE flanged screw



Code	Description	ø T mm	LT mm	ø V mm	ø LV mm	Box	Pack
NB175500	Extra long nylon anchor NC-PS TEF 10x80 with screw TEF 7x85	10	80	7	85	50 pcs	5 boxes
NB175505	Extra long nylon anchor NC-PS TEF 10x100 with screw TEF 7x105	10	100	7	105	50 pcs	5 boxes
NB175510	Extra long nylon anchor NC-PS TEF 10x120 with screw TEF 7x125	10	120	7	125	50 pcs	5 boxes
NB175515	Extra long nylon anchor NC-PS TEF 10x140 with screw TEF 7x145	10	140	7	145	50 pcs	5 boxes
NB175520	Extra long nylon anchor NC-PS TEF 10x160 with screw TEF 7x165	10	160	7	165	50 pcs	5 boxes

### NC-PS VTS - Prolonged nylon anchor with safety screw




Code	Description	ø T mm	LT mm	ø V mm	ø LV mm	Box	Pack
NB175600	Extra long nylon anchor NC-PS VTS 10x80 with T40 safety screw 7x85	10	80	7	85	50 pcs	5 boxes
NB175605	Extra long nylon anchor NC-PS VTS 10x100 with T40 safety screw 7x105	10	100	7	105	50 pcs	5 boxes
NB175610	Extra long nylon anchor NC-PS VTS 10x120 with T40 safety screw 7x125	10	120	7	125	50 pcs	5 boxes
NB175615	Extra long nylon anchor NC-PS VTS 10x140 with T40 safety screw 7x145	10	140	7	145	50 pcs	5 boxes
NB175620	Extra long nylon anchor NC-PS VTS 10x160 with T40 safety screw 7x165	10	160	7	165	50 pcs	5 boxes

## Window frames prolonged nylon anchors

Through type nylon anchor, suitable for fixing window frames on compact, semi-compact and perforated materials, for medium-light loads. Suitable for fixing profiles, window frames in aluminum, wood, PVC, windows and French windows, fixtures, frames, roof substructures, gates, etc.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, PERFORATED BRICKS, PERFORATED CONCRETE BRICK

### TNAP - Prolonged six fins nylon anchor



Code	Description	Ø T mm	LT mm	Box	Pack
NB15790	Nylon frame anchor TNAP 8x80	8	80	100 pcs	5 boxes
NB15806	Nylon frame anchor TNAP 8x100	8	100	100 pcs	5 boxes
NB15813	Nylon frame anchor TNAP 8x120	8	120	100 pcs	5 boxes
NB15820	Nylon frame anchor TNAP 10x80	10	80	100 pcs	5 boxes
NB15837	Nylon frame anchor TNAP 10x100	10	100	50 pcs	5 boxes
NB15844	Nylon frame anchor TNAP 10x115	10	115	50 pcs	5 boxes
NB15851	Nylon frame anchor TNAP 10x135	10	135	50 pcs	5 boxes
NB15868	Nylon frame anchor TNAP 10x160	10	160	50 pcs	5 boxes
NB8884	Nylon frame anchor TNAP 10x200	10	200	100 pcs	2 boxes

Installation of speed bumps





Installation of interior doors







## Window frames prolonged nylon anchors

### TNAP-V - Prolonged six fins nylon anchor with Pozidrive screw



Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB8600	Nylon frame anchor TNAP-V 8x80 with Pozi screw 5,5x85	8	80	5,5	85	P3	100 pcs	5 boxes
NB8617	Nylon frame anchor TNAP-V 8x100 with Pozi screw 5,5x105	8	100	5,5	105	P3	100 pcs	5 boxes
NB8624	Nylon frame anchor TNAP-V 8x120 with Pozi screw 5,5x125	8	120	5,5	125	P3	100 pcs	5 boxes
NB8631	Nylon frame anchor TNAP-V 10x80 with Pozi screw 7x85	10	80	7	85	P4	50 pcs	5 boxes
NB8648	Nylon frame anchor TNAP-V 10x100 with Pozi screw 7x105	10	100	7	105	P4	50 pcs	5 boxes
NB8655	Nylon frame anchor TNAP-V 10x115 with Pozi screw 7x120	10	115	7	120	P4	50 pcs	5 boxes
NB8662	Nylon frame anchor TNAP-V 10x135 with Pozi screw 7x140	10	135	7	140	P4	50 pcs	5 boxes
NB8679	Nylon frame anchor TNAP-V 10x160 with Pozi screw 7x165	10	160	7	165	P4	25 pcs	5 boxes
NB8686	Nylon frame anchor TNAP-V 10x200 with Pozi screw 7x205	10	200	7	205	P4	50 pcs	2 boxes

### TNAP-T - Prolonged six fins nylon anchor with Torx screw





Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB63548	Nylon frame anchor TNAP-T 8x80 with Torx screw 5,5x85	8	80	5,5	85	T30	100 pcs	5 boxes
NB63555	Nylon frame anchor TNAP-T 8x100 with Torx screw 5,5x105	8	100	5,5	105	T30	100 pcs	5 boxes
NB63562	Nylon frame anchor TNAP-T 8x120 with Torx screw 5,5x125	8	120	5,5	125	T30	100 pcs	5 boxes
NB63579	Nylon frame anchor TNAP-T 10x80 with Torx screw 7x85	10	80	7	85	T40	50 pcs	5 boxes
NB63586	Nylon frame anchor TNAP-T 10x100 with Torx screw 7x105	10	100	7	105	T40	50 pcs	5 boxes
NB63593	Nylon frame anchor TNAP-T 10x115 with Torx screw 7x120	10	115	7	120	T40	50 pcs	5 boxes
NB63609	Nylon frame anchor TNAP-T 10x135 with Torx screw 7x140	10	135	7	140	T40	50 pcs	5 boxes
NB63616	Nylon frame anchor TNAP-T 10x160 with Torx screw 7x165	10	160	7	165	T40	25 pcs	5 boxes
NB63623	Nylon frame anchor TNAP-T 10x200 with Torx screw 7x205	10	200	7	205	T40	50 pcs	2 boxes
NB63625	Nylon frame anchor TNAP-T 10x240 with Torx screw 7x245	10	240	7	245	T40	50 pcs	2 boxes
NB63631	Nylon frame anchor TNAP-T 10x280 with Torx screw 7x285	10	280	7	285	T40	50 pcs	2 boxes

## Window frames prolonged nylon anchors

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, PERFORATED BRICKS, PERFORATED CONCRETE BRICK






### TNAP-TE - Prolonged six fins nylon anchor with TE DIN 571 screw



Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB8693	Nylon frame anchor TNAP-TE 8x80 with Lag screw 5,5x85	8	80	5,5	85	CH10	100 pcs	5 boxes
NB8709	Nylon frame anchor TNAP-TE 8x100 with Lag screw 5,5x105	8	100	5,5	105	CH10	100 pcs	5 boxes
NB8716	Nylon frame anchor TNAP-TE 8x120 with Lag screw 5,5x125	8	120	5,5	125	CH10	100 pcs	5 boxes
NB8723	Nylon frame anchor TNAP-TE 10x80 with Lag screw 7x85	10	80	7	85	CH12	50 pcs	5 boxes
NB8730	Nylon frame anchor TNAP-TE 10x100 with Lag screw 7x105	10	100	7	105	CH12	50 pcs	5 boxes
NB8747	Nylon frame anchor TNAP-TE 10x115 with Lag screw 7x120	10	115	7	120	CH12	50 pcs	5 boxes
NB8754	Nylon frame anchor TNAP-TE 10x135 with Lag screw 7x140	10	135	7	140	CH12	50 pcs	5 boxes
NB8761	Nylon frame anchor TNAP-TE 10x160 with Lag screw 7x165	10	160	7	165	CH12	25 pcs	5 boxes
NB8778	Nylon frame anchor TNAP-TE 10x200 with Lag screw 7x205	10	200	7	205	CH12	50 pcs	2 boxes


### TNAP-VTS - Prolonged six fins nylon anchor with safety screw



Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB74643	Nylon frame anchor TNAP-VTS 10x80 with Lag screw 7x85	10	80	7	85	T40	50 pcs	5 boxes
NB74650	Nylon frame anchor TNAP-VTS 10x100 with Torx screw 7x105	10	100	7	105	T40	50 pcs	5 boxes
NB74667	Nylon frame anchor TNAP-VTS 10x115 with Torx screw 7x120	10	115	7	120	T40	50 pcs	5 boxes
NB74674	Nylon frame anchor TNAP-VTS 10x135 with Torx screw 7x140	10	135	7	140	T40	50 pcs	5 boxes
NB74179	Tamper-proof torx imprint T40	10	115	7	120	T40	100 pcs	- boxes

## Window frames prolonged nylon anchors

**TNSV** - Prolonged nylon anchor with pozidrive screw



Code	Description	Ø T mm	LT mm	Ø V mm	LV mm	Impronta mm	Box	Pack
<b>NB7153</b>	Nylon frame anchor TNSV 6x35 with Pozi screw 4,5x40	6	35	4,5	40	P2	100 pcs	10 boxes
<b>NB7160</b>	Nylon frame anchor TNSV 6x50 with Pozi screw 4,5x55	6	50	4,5	55	P2	100 pcs	10 boxes
<b>NB7177</b>	Nylon frame anchor TNSV 6x60 with Pozi screw 4,5x65	6	60	4,5	65	P2	100 pcs	5 boxes
<b>NB7180</b>	Nylon frame anchor TNSV 6x80 with Pozi screw 4,5x85	6	80	4,5	85	P2	100 pcs	5 boxes
<b>NB7184</b>	Nylon frame anchor TNSV 8x60 with Pozi screw 5,5x65	8	60	5,5	65	P3	100 pcs	5 boxes
<b>NB7191</b>	Nylon frame anchor TNSV 8x80 with Pozi screw 5,5x85	8	80	5,5	85	P3	100 pcs	5 boxes
<b>NB7207</b>	Nylon frame anchor TNSV 8x100 with Pozi screw 5,5x105	8	100	5,5	105	P3	50 pcs	5 boxes
<b>NB7214</b>	Nylon frame anchor TNSV 8x120 with Pozi screw 5,5x125	8	120	5,5	125	P3	50 pcs	5 boxes
<b>NB7221</b>	Nylon frame anchor TNSV 8x135 with Pozi screw 5,5x140	8	135	5,5	140	P3	50 pcs	5 boxes
<b>NB7245</b>	Nylon frame anchor TNSV 10x80 with Pozi screw 7x85	10	80	7	85	P4	50 pcs	5 boxes
<b>NB7252</b>	Nylon frame anchor TNSV 10x100 with Pozi screw 7x105	10	100	7	105	P4	50 pcs	5 boxes
<b>NB7269</b>	Nylon frame anchor TNSV 10x115 with Pozi screw 7x120	10	115	7	120	P4	50 pcs	5 boxes
<b>NB7276</b>	Nylon frame anchor TNSV 10x135 with Pozi screw 7x140	10	135	7	140	P4	50 pcs	5 boxes
<b>NB7283</b>	Nylon frame anchor TNSV 10x160 with Pozi screw 7x165	10	160	7	165	P4	50 pcs	5 boxes
<b>NB7290</b>	Nylon frame anchor TNSV 10x200 with Pozi screw 7x205	10	200	7	205	P4	50 pcs	2 boxes


Fixtures and window frames installation



## Window frames prolonged nylon anchors


**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, HOLLOW BRICK, HOLLOW CONCRETE BRICK

### ABP - Prolonged nylon anchor Ø 14 - 16



#### ABP 14 - 3 fins



Code	Description	Ø T mm	LT mm	Box	Pack
NB53792	Extra long nylon anchor ABP 14x100	14	100	100 pcs	2 boxes
NB8891	Extra long nylon anchor ABP 14x130	14	130	100 pcs	2 boxes
NB53372	Extra long nylon anchor ABP 14x160	14	160	50 pcs	2 boxes
<b>Bulk packaging</b>					
NB62053	Bulk extra long nylon anchor ABP 14x100	14	100	-	1.600 pcs
NB62060	Bulk extra long nylon anchor ABP 14x130	14	130	-	1.200 pcs
NB62077	Bulk extra long nylon anchor ABP 14x160	14	160	-	900 pcs



#### ABP 16 - 4 fins



Code	Description	Ø T mm	LT mm	Box	Pack
NB8907	Extra long nylon anchor ABP 16x140	16	140	50 pcs	2 boxes
NB8914	Extra long nylon anchor ABP 16x160	16	160	50 pcs	2 boxes
NB8921	Extra long nylon anchor ABP 16x200	16	200	50 pcs	2 boxes
NB8938	Extra long nylon anchor ABP 16x240	16	240	50 pcs	2 boxes
<b>Bulk packaging</b>					
NB62084	Bulk extra long nylon anchor ABP 16x140	16	140	-	800 pcs
NB62091	Bulk extra long nylon anchor ABP 16x160	16	160	-	500 pcs
NB62107	Bulk extra long nylon anchor ABP 16x200	16	200	-	500 pcs
NB62114	Bulk extra long nylon anchor ABP 16x240	16	240	-	400 pcs

### ABP TR - Prolonged nylon anchor with TE DIN 571 screw and washer



#### ABP 14 - 3 fins


Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB53891	Extra long nylon anchor ABP TR 14x100 with lag screw 10x100	14	100	10	100	CH17	20 pcs	5 boxes
NB8785	Extra long nylon anchor ABP TR 14x130 with lag screw 10x130	14	130	10	130	CH17	20 pcs	5 boxes
NB53716	Extra long nylon plug ABP TR 14x160 with lag screw 10x160	14	160	10	160	CH17	20 pcs	5 boxes



#### ABP 16 - 4 fins

Code	Description	Ø T mm	LT mm	Ø V mm	Ø LV mm	Impronta mm	Box	Pack
NB8792	Extra long nylon plug ABP TR 16x140 with lag screw 12x140	16	140	12	140	CH19	20 pcs	5 boxes
NB8808	Extra long nylon plug ABP TR 16x160 with lag screw 12x160	16	160	12	160	CH19	20 pcs	5 boxes
NB8815	Extra long nylon plug ABP TR 16x200 with lag screw 12x200	16	200	12	200	CH19	20 pcs	5 boxes
NB8822	Extra long nylon plug ABP TR 16x240 with lag screw 12x240	16	240	12	240	CH19	20 pcs	2 boxes

## AB PROL - Prolonged nylon anchor $\varnothing$ 12




Code	Description	$\varnothing$ T mm	LT mm	Box	Pack
NB74117	Prolonged nylon plug AB-PROL 12X160	12	160	50 pcs	5 boxes
NB44950	Prolonged nylon plug AB-PROL 12x200	12	200	50 pcs	5 boxes
NB44967	Prolonged nylon plug AB-PROL 12x240	12	240	50 pcs	5 boxes

### Bulk packaging



Code	Description	$\varnothing$ T mm	LT mm	Box	Pallet packaging
NB74186	Prolonged nylon plug bulk AB-PROL 12X160	12	160	1.200 pcs	16 boxes
NB74193	Prolonged nylon plug bulk AB-PROL 12x200	12	200	1.000 pcs	16 boxes
NB74209	Prolonged nylon plug bulk AB-PROL 12x240	12	240	800 pcs	16 boxes

## ABTR - Prolonged nylon anchor with TE DIN 571screw and washer



### Wrench Te 17

Code	Description	$\varnothing$ T mm	LT mm	$\varnothing$ V mm	$\varnothing$ LV mm	Box	Pack
NB74124	Prolonged nylon plug ABTR 12X160 with lag screw 10x160	12	160	10	160	20 pcs	5 boxes
NB74131	Prolonged nylon plug ABTR 12x200 with lag screw 10x200	12	200	10	200	20 pcs	5 boxes
NB74148	Prolonged nylon plug ABTR 12x240 with lag screw 10x240	12	240	10	240	20 pcs	5 boxes

## Hammer-in nylon fast anchors


Nylon hammer-in anchor with pre-assembled screw, fast, controlled installation, through-type. Suitable for fixing roofs, wooden strips, fixtures, frames and counterframes, profiles, wall channels, electrical and hydraulic systems, drainpipes, etc.



**SUPPORT MATERIAL**

CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, WOOD

### TNSM-RE - Nylon fast anchor with flat edge and hammer-in screw



Code	Description	Ø T mm	LT mm	Box	Pack
NB8983	Hammer-in nylon plug TNSM-RE 5x30 with zinc-plated screw	5	30	200 pcs	10 boxes
NB29827	Hammer-in nylon plug TNSM-RE 5x40 with zinc-plated screw	5	40	100 pcs	10 boxes
NB8990	Hammer-in nylon plug TNSM-RE 5x50 with zinc-plated screw	5	50	100 pcs	10 boxes
NB9003	Hammer-in nylon plug TNSM-RE 6x35 with zinc-plated screw	6	35	100 pcs	10 boxes
NB9010	Hammer-in nylon plug TNSM-RE 6x40 with zinc-plated screw	6	40	100 pcs	10 boxes
NB89647	Hammer-in nylon plug TNSM-RE 6x50 with zinc-plated screw	6	50	100 pcs	10 boxes
NB9027	Hammer-in nylon plug TNSM-RE 6x60 with zinc-plated screw	6	60	100 pcs	5 boxes
NB9041	Hammer-in nylon plug TNSM-RE 6x80 with zinc-plated screw	6	80	100 pcs	5 boxes
NB9065	Hammer-in nylon plug TNSM-RE 8x60 with zinc-plated screw	8	60	100 pcs	5 boxes
NB9072	Hammer-in nylon plug TNSM-RE 8x80 with zinc-plated screw	8	80	100 pcs	5 boxes
NB9089	Hammer-in nylon plug TNSM-RE 8x100 with zinc-plated screw	8	100	100 pcs	5 boxes
NB9096	Hammer-in nylon plug TNSM-RE 8x120 with zinc-plated screw	8	120	100 pcs	5 boxes
NB9102	Hammer-in nylon plug TNSM-RE 8x140 with zinc-plated screw	8	140	100 pcs	5 boxes


### TNB-RE - Nylon fast anchor with flat edge and hammer-in screw



Code	Description	Ø T mm	LT mm	Box	Pack
NB193505	Hammer-in nylon plug TNB-RE 5x30 with zinc-plated screw	5	30	200 pcs	5 boxes
NB193515	Hammer-in nylon plug TNB-RE 5x50 with zinc-plated screw	5	50	100 pcs	10 boxes
NB193520	Hammer-in nylon plug TNB-RE 6x35 with zinc-plated screw	6	35	100 pcs	10 boxes
NB193525	Hammer-in nylon plug TNB-RE 6x40 with zinc-plated screw	6	40	100 pcs	10 boxes
NB193530	Hammer-in nylon plug TNB-RE 6x50 with zinc-plated screw	6	50	100 pcs	10 boxes
NB193535	Hammer-in nylon plug TNB-RE 6x60 with zinc-plated screw	6	60	100 pcs	10 boxes
NB193540	Hammer-in nylon plug TNB-RE 6x70 with zinc-plated screw	6	70	100 pcs	10 boxes
NB193545	Hammer-in nylon plug TNB-RE 6x80 with zinc-plated screw	6	80	100 pcs	10 boxes
NB193555	Hammer-in nylon plug TNB-RE 8x60 with zinc-plated screw	8	60	100 pcs	10 boxes
NB193560	Hammer-in nylon plug TNB-RE 8x80 with zinc-plated screw	8	80	100 pcs	10 boxes
NB193565	Hammer-in nylon plug TNB-RE 8x100 with zinc-plated screw	8	100	100 pcs	10 boxes
NB193570	Hammer-in nylon plug TNB-RE 8x120 with zinc-plated screw	8	120	100 pcs	10 boxes
NB193575	Hammer-in nylon plug TNB-RE 8x140 with zinc-plated screw	8	140	100 pcs	10 boxes

## Hammer-in nylon fast anchors

**TNSM-SV** - Nylon fast anchor with countersank edge and hammer-in screw



Code	Description	Ø T mm	LT mm	Box	Pack
<b>NB9119</b>	Hammer-in nylon plug TNSM-SV 5x25 with conuntersunk edge and zinc-plated screw	5	25	200 pcs	10 boxes
<b>NB9126</b>	Hammer-in nylon plug TNSM-SV 5x30 with conuntersunk edge and zinc-plated screw	5	30	100 pcs	10 boxes
<b>NB29834</b>	Hammer-in nylon plug TNSM-SV 5x40 with conuntersunk edge and zinc-plated screw	5	40	100 pcs	10 boxes
<b>NB9133</b>	Hammer-in nylon plug TNSM-SV 5x50 with conuntersunk edge and zinc-plated screw	5	50	100 pcs	10 boxes
<b>NB9140</b>	Hammer-in nylon plug TNSM-SV 6x35 with conuntersunk edge and zinc-plated screw	6	35	100 pcs	10 boxes
<b>NB9157</b>	Hammer-in nylon plug TNSM-SV 6x40 with conuntersunk edge and zinc-plated screw	6	40	100 pcs	10 boxes
<b>NB89661</b>	Hammer-in nylon plug TNSM-SV 6x50 with conuntersunk edge and zinc-plated screw	6	50	100 pcs	10 boxes
<b>NB9164</b>	Hammer-in nylon plug TNSM-SV 6x60 with conuntersunk edge and zinc-plated screw	6	60	100 pcs	5 boxes
<b>NB9188</b>	Hammer-in nylon plug TNSM-SV 6x80 with conuntersunk edge and zinc-plated screw	6	80	100 pcs	5 boxes
<b>NB9190</b>	Hammer-in nylon plug TNSM-SV 6x100 with conuntersunk edge and zinc-plated screw	6	100	100 pcs	5 boxes
<b>NB9201</b>	Hammer-in nylon plug TNSM-SV 8x60 with conuntersunk edge and zinc-plated screw	8	60	100 pcs	5 boxes
<b>NB9218</b>	Hammer-in nylon plug TNSM-SV 8x80 with conuntersunk edge and zinc-plated screw	8	80	100 pcs	5 boxes
<b>NB9225</b>	Hammer-in nylon plug TNSM-SV 8x100 with conuntersunk edge and zinc-plated screw	8	100	100 pcs	5 boxes
<b>NB9232</b>	Hammer-in nylon plug TNSM-SV 8x120 with conuntersunk edge and zinc-plated screw	8	120	100 pcs	5 boxes
<b>NB9249</b>	Hammer-in nylon plug TNSM-SV 8x140 with conuntersunk edge and zinc-plated screw	8	140	100 pcs	5 boxes
<b>NB9251</b>	Hammer-in nylon plug TNSM-SV 8X160 with conuntersunk edge and zinc-plated screw	8	160	100 pcs	5 boxes
<b>NB9254</b>	Hammer-in nylon plug TNSM-SV 8x195 with conuntersunk edge and zinc-plated screw	8	195	100 pcs	5 boxes

**TNB-SV** - Nylon fast anchor with countersank edge and hammer-in screw




Code	Description	Ø T mm	LT mm	Box	Pack
<b>NB193605</b>	Hammer-in nylon plug TNB-SV 5x30 with zinc-plated screw	5	30	100 pcs	10 boxes
<b>NB193610</b>	Hammer-in nylon plug TNB-SV 5x40 with zinc-plated screw	5	40	100 pcs	10 boxes
<b>NB193615</b>	Hammer-in nylon plug TNB-SV 5x50 with zinc-plated screw	5	50	100 pcs	10 boxes
<b>NB193620</b>	Hammer-in nylon plug TNB-SV 6x35 with zinc-plated screw	6	35	100 pcs	10 boxes
<b>NB193625</b>	Hammer-in nylon plug TNB-SV 6x40 with zinc-plated screw	6	40	100 pcs	10 boxes
<b>NB193630</b>	Hammer-in nylon plug TNB-SV 6x50 with zinc-plated screw	6	50	100 pcs	10 boxes
<b>NB193635</b>	Hammer-in nylon plug TNB-SV 6x60 with zinc-plated screw	6	60	100 pcs	10 boxes
<b>NB193640</b>	Hammer-in nylon plug TNB-SV 6x70 with zinc-plated screw	6	80	100 pcs	10 boxes
<b>NB193645</b>	Hammer-in nylon plug TNB-SV 6x80 with zinc-plated screw	6	80	100 pcs	10 boxes
<b>NB193650</b>	Hammer-in nylon plug TNB-SV 8x45 with zinc-plated screw	8	45	100 pcs	10 boxes
<b>NB193555</b>	Hammer-in nylon plug TNB-SV 8x60 with zinc-plated screw	8	60	100 pcs	10 boxes
<b>NB193660</b>	Hammer-in nylon plug TNB-SV 8x80 with zinc-plated screw	8	80	100 pcs	10 boxes
<b>NB193665</b>	Hammer-in nylon plug TNB-SV 8x100 with zinc-plated screw	8	100	100 pcs	10 boxes
<b>NB193670</b>	Hammer-in nylon plug TNB-SV 8x120 with zinc-plated screw	8	120	100 pcs	10 boxes
<b>NB193675</b>	Hammer-in nylon plug TNB-SV 8x140 with zinc-plated screw	8	140	100 pcs	10 boxes

## Hammer-in nylon fast anchors

Nylon hammer-in anchor with pre-assembled stainless steel A2 screw, fast, controlled installation, through-type. Suitable for fixing roofs, wooden strips, fixtures, frames and counterframes, profiles, wall channels, electrical and hydraulic systems, drainpipes, etc.


**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, WOOD

### TNSMX-RE - Nylon fast anchor with flat edge and hammer-in Stainless steel A2 screw



Code	Description	Ø T mm	LT mm	Box	Pack
<b>NB66853</b>	Hammer-in nylon plug TNSMX-RE 6x35 flat head and inox A2 screw	6	35	100 pcs	10 boxes
<b>NB60929</b>	Hammer-in nylon plug TNSMX-RE 6x40 flat head and inox A2 screw	6	40	100 pcs	10 boxes
<b>NB60943</b>	Hammer-in nylon plug TNSMX-RE 6x60 flat head and inox A2 screw	6	60	100 pcs	5 boxes
<b>NB66860</b>	Hammer-in nylon plug TNSMX-RE 6x80 flat head and inox A2 screw	6	80	100 pcs	5 boxes
<b>NB66877</b>	Hammer-in nylon plug TNSMX-RE 8x60 flat head and inox A2 screw	8	60	100 pcs	5 boxes
<b>NB66884</b>	Hammer-in nylon plug TNSMX-RE 8x80 flat head and inox A2 screw	8	80	100 pcs	5 boxes
<b>NB66891</b>	Hammer-in nylon plug TNSMX-RE 8x100 flat head and inox A2 screw	8	100	100 pcs	5 boxes

### TNSMX-SV - Nylon fast anchor with countersunk edge and hammer-in Stainless steel A2 screw




Code	Description	Ø T mm	LT mm	Box	Pack
<b>NB66907</b>	Hammer-in nylon plug TNSMX-SV 6x35 countersunk head and inox A2 screw	6	35	100 pcs	10 boxes
<b>NB60950</b>	Hammer-in nylon plug TNSMX-SV 6x40 countersunk head and inox A2 screw	6	40	100 pcs	10 boxes
<b>NB60974</b>	Hammer-in nylon plug TNSMX-SV 6x60 countersunk head and inox A2 screw	6	60	100 pcs	5 boxes
<b>NB66914</b>	Hammer-in nylon plug TNSMX-SV 6x80 countersunk head and inox A2 screw	6	80	100 pcs	5 boxes
<b>NB66921</b>	Hammer-in nylon plug TNSMX-SV 8x60 countersunk head and inox A2 screw	8	60	100 pcs	5 boxes
<b>NB66938</b>	Hammer-in nylon plug TNSMX-SV 8x80 countersunk head and inox A2 screw	8	80	100 pcs	5 boxes
<b>NB66945</b>	Hammer-in nylon plug TNSMX-SV 8x100 countersunk head and inox A2 screw	8	100	100 pcs	5 boxes



## Hammer-in nylon fast anchors

**TNB** - Nylon fast anchor with rounded edge and hammer-in screw



Code	Description	Ø T mm	LT mm	Box	Pack
<b>NB9294</b>	Mushroom head hammer-in nylon plug TNB 5x25	5	25	100 pcs	10 boxes
<b>NB9300</b>	Mushroom head hammer-in nylon plug TNB 6x25	6	25	100 pcs	10 boxes
<b>NB9317</b>	Mushroom head hammer-in nylon plug TNB 6x40	6	40	100 pcs	10 boxes
<b>NB9324</b>	Mushroom head hammer-in nylon plug TNB 6x50	6	50	100 pcs	5 boxes
<b>NB9331</b>	Mushroom head hammer-in nylon plug TNB 6x60	6	60	100 pcs	5 boxes
<b>NB71499</b>	Mushroom head hammer-in nylon plug TNB 6x60	6	80	100 pcs	5 boxes

Installation of plasterboard profiles



# INSULATION FIXINGS

## INSULATION FIXINGS


ISO	50
ISO-S CE	51
RP-I	52
ISO-ST	52

## Hammer-in nylon anchors for insulation sistem - ETICS

Polypropylene anchor with percussive nail in steel, or polyamide reinforced with glass fiber, of the through-and-impact type. Suitable for fixing both rigid and soft insulating materials on compact and semi-compact materials such as polystyrene, polystyrene, glass wool, rock wool, etc.

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

**ISO** - Hammer-in nylon anchor for rigid panel - ETAG 014



Cert. Cat. A-B-C


Code	Description	Ø T mm	Ø R mm	LT mm	Box	Pack
NB8945	Hammer-in fastner ISO 10x50x70 for rigid panels	10	50	70	250 pcs	-
NB8952	Hammer-in fastner ISO 10x50x90 for rigid panels	10	50	90	250 pcs	-
NB8969	Hammer-in fastner ISO 10x50x110 for rigid panels	10	50	110	250 pcs	-
NB29803	Hammer-in fastner ISO 10x50x130 for rigid panels	10	50	130	250 pcs	-
NB29810	Hammer-in fastner ISO 10x50x150 for rigid panels	10	50	150	250 pcs	-
NB8976	Hammer-in fastner ISO 10x50x180 for rigid panels	10	50	180	250 pcs	-
NB8980	Hammer-in fastner ISO 10x50x210 for rigid panels	10	50	210	250 pcs	-
NB8985	Hammer-in fastner ISO 10x50x240 for rigid panels	10	50	240	250 pcs	-



▲ External Thermal Insulation Composite System (E.T.I.C.S.)

## Hammer-in nylon anchors for insulation sistem - ETICS


### ISO-S CE - Hammer-in nylon anchor with nylon nail - ETAG 014



Cert. Cat. A-B-C-D-E

Code	Description	Ø T mm	Ø R mm	LT mm	Box	Pack
NB88850	Nylon nail anchor for compact material ISO-S CE 8X95	8	60	95	200 pcs	-
NB88851	Nylon nail anchor for compact material ISO-S CE 8X115	8	60	115	200 pcs	-
NB88852	Nylon nail anchor for compact material ISO-S CE 8X135	8	60	135	200 pcs	-
NB88853	Nylon nail anchor for compact material ISO-S CE 8X155	8	60	155	200 pcs	-
NB88854	Nylon nail anchor for compact material ISO-S CE 8X175	8	60	175	200 pcs	-
NB88855	Nylon nail anchor for compact material ISO-S CE 8X195	8	60	195	200 pcs	-
NB88980	Nylon nail anchor for compact material ISO-S CE 10x70	10	60	70	200 pcs	-
NB88982	Nylon nail anchor for compact material ISO-S CE 10x90	10	60	90	200 pcs	-
NB88984	Nylon nail anchor for compact material ISO-S CE 10x110	10	60	110	200 pcs	-
NB88986	Nylon nail anchor for compact material ISO-S CE 10x120	10	60	120	200 pcs	-
NB88988	Nylon nail anchor for compact material ISO-S CE 10x140	10	60	140	200 pcs	-
NB88990	Nylon nail anchor for compact material ISO-S CE 10x160	10	60	160	200 pcs	-
NB88991	Nylon nail anchor for compact material ISO-S CE 10x180	10	60	180	200 pcs	-
NB88994	Nylon nail anchor for compact material ISO-S CE 10x200	10	60	200	200 pcs	-
NB88996	Nylon nail anchor for compact material ISO-S CE 10x220	10	60	220	100 pcs	-
NB88998	Nylon nail anchor for compact material ISO-S CE 10x260	10	60	260	100 pcs	-

### ISO-S CE - Hammer-in nylon anchor with steel nail - ETAG 014




Cert. Cat. A-B-C-D-E

Code	Description	Ø T mm	Ø R mm	LT mm	Box	Pack
NB88960	Steel nail anchor for compact material ISO-S CE 8x95	8	60	95	200 pcs	-
NB88962	Steel nail anchor for compact material ISO-S CE 8x115	8	60	115	200 pcs	-
NB88964	Steel nail anchor for compact material ISO-S CE 8x135	8	60	135	200 pcs	-
NB88966	Steel nail anchor for compact material ISO-S CE 8x155	8	60	155	200 pcs	-
NB88968	Steel nail anchor for compact material ISO-S CE 8x175	8	60	175	200 pcs	-
NB88970	Steel nail anchor for compact material ISO-S CE 8x195	8	60	195	200 pcs	-
NB88881	Steel nail anchor for compact material ISO-S CE 10x70	10	60	70	200 pcs	-
NB88882	Steel nail anchor for compact material ISO-S CE 10x90	10	60	90	200 pcs	-
NB88883	Steel nail anchor for compact material ISO-S CE 10x110	10	60	110	200 pcs	-
NB88884	Steel nail anchor for compact material ISO-S CE 10x120	10	60	120	200 pcs	-
NB88885	Steel nail anchor for compact material ISO-S CE 10x140	10	60	140	200 pcs	-
NB88886	Steel nail anchor for compact material ISO-S CE 10x160	10	60	160	200 pcs	-
NB88887	Steel nail anchor for compact material ISO-S CE 10x180	10	60	180	200 pcs	-
NB88888	Steel nail anchor for compact material ISO-S CE 10x200	10	60	200	200 pcs	-
NB88889	Steel nail anchor for compact material ISO-S CE 10x220	10	60	220	200 pcs	-
NB88890	Steel nail anchor for compact material ISO-S CE 10x260	10	60	260	200 pcs	-

## Insulation increased washer - ETICS

**SUPPORT MATERIAL** Insulation materials

**RP-I** - Fiberglass reinforced increased nylon washer for insulation ETICS




Code	Description	Ø I mm	Ø E Tmm	Box	Pack
NB9653	Fiber glass reinforced washer RP-I 10x90	10	90	500 pcs	-
NB9654	Fiber glass reinforced washer RP-I 10x140	10	140	500 pcs	-

Suitable for application in combination with ISO S insulation anchor  
 Suitable for application in combination with ISO S insulation plug Suitable for application in combination with ISO S insulation plug

## Screw-in nylon anchors for insulation sistem - ETICS

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK, CONCRETE, NATURAL STONE, SOLID BRICKS, SOLID CONCRETE BRICK

**ISO-ST** - Steel screw-in pin, nylon anchor for rigid panels



Code	Description	Ø T mm	Ø R mm	LT mm	Box	Pack
NB112800	Steel screw-in pin anchor ISO-ST 8x95	8	60	95	200 pcs	-
NB112801	Steel screw-in pin anchor ISO-ST 8x115	8	60	115	200 pcs	-
NB112802	Steel screw-in pin anchor ISO-ST 8x135	8	60	135	200 pcs	-
NB112803	Steel screw-in pin anchor ISO-ST 8x155	8	60	155	200 pcs	-
NB112804	Steel screw-in pin anchor ISO-ST 8x175	8	60	175	200 pcs	-
NB112805	Steel screw-in pin anchor ISO-ST 8x195	8	60	195	200 pcs	-
NB112806	Steel screw-in pin anchor ISO-ST 8x215	8	60	215	200 pcs	-
NB112807	Steel screw-in pin anchor ISO-ST 8x235	8	60	235	200 pcs	-
NB112808	Steel screw-in pin anchor ISO-ST 8x255	8	60	255	200 pcs	-
NB112809	Steel screw-in pin anchor ISO-ST 8x275	8	60	275	200 pcs	-
NB112810	Steel screw-in pin anchor ISO-ST 8x295	8	60	295	200 pcs	-



▲ Thermal insulation system application



▲ Installation of shutter stops and lights, on walls with thermal insulation

# CHEMICAL FIXINGS



## CHEMICAL FIXINGS

NCE	56
NCE PLUS	56
NCF	57
NCS	57
PST-RB	58
PST-RP	58
MIXER	58
AM	59
SCO	59
ALB	59
GN - GDN	60
GM	60
BR	61
OC	61
GA	62
PST-SB	62
PST-SP	62

**Hybrid and vinylester resins**

Vinylester, styrene-free hybrid chemical anchors, designed for high-performance structural fixings on cracked and non-cracked concrete. ETA certified for seismic applications (C1, C2), High mechanical resistance, absence of shrinkage and durability in humid environments, cored and flooded holes.

**APPLICATION** COMPRESSED CONCRETE, CRACKED CONCRETE, REINFORCED CONCRETE, FULL AND PERFORATED BRICKS, WOOD, HIGH DENSITY AND COMPACT MATERIALS

**NCE** - Vinylester-styrene free injection anchors without styrene. Suitable for use in seismic zones C1 - C2




**FEATURES**

Vinylester-styrene free chemical injection anchor, ETA certified for structural applications on cracked concrete (C1, C2). Suitable for fixing threaded rods and reinforcing bars, it offers rapid hardening times and high mechanical resistance and resistance to alkaline hydrolysis. Suitable for heavy carpentry, prefabricated elements, casting joints and support structures. Use temperatures: -10°C ÷ 35°C.

**CERTIFICATIONS**

ETA OPcs. 1 - FOR COMPRESSED AREA



Code	Description	Box	Pack
NB63845	Vinylester chemical cartridge NCE 300 ml styrene free	12 pcs	-
NB6842	Vinylester chemical cartridge NCE 345 ml styrene free	12 pcs	-
NB54973	Vinylester chemical cartridge NCE 400 ml styrene free	12 pcs	-

**NCE PLUS** - Urethane methacrylate hybrid - styrene free chemical injection. Suitable for use in seismic zones C1 - C2





**FEATURES**

Hybrid methacrylate uretan-styrene free chemical injection anchor, ETA certified for structural use on cracked concrete (C1, C2). Designed for high loads, it guarantees maximum durability, chemical resistance and absence of shrinkage. Optimized for threaded rods and reinforcing bars, it is compatible with cracked and non-cracked concrete, compact natural stone, solid masonry and wood. Suitable for cored holes, humid environments and flooded holes, excluding sea water. Use temperatures: -10°C ÷ 35°C.

**CERTIFICATIONS**

SEISMIC C1 M8-M30 C2 M12-M24  
OPTION 1 CERTIFICATE FOR TENSILE, CRACKED AND COMPRESSED ZONES M8- M30



Code	Description	Box	Pack
NB63850	Vinylester hybrid chemical cartridge NCE PLUS 300 ml styrene free	12 pcs	-
NB54980	Vinylester hybrid chemical cartridge NCE PLUS 420 ml styrene free	12 pcs	-

## Polyester resins

Polyester-based chemical anchors, with and without styrene, for medium-heavy fixings in non-cracked concrete and masonry. Suitable for humid and flooded environments.

**APPLICATION** CLS, SOLID BRICKS, PERFORATED BRICKS, COMPACT WOOD

### NCF - Polyester-based styrene-free chemical injection anchors



#### FEATURES

Polyester-based styrene-free chemical injection anchor, suitable for medium-heavy fixings in non-critical applications. Quick-hardening formula, suitable for interiors and closed spaces. Versatile on solid and perforated masonry, aerated concrete and laminated or compact wooden supports, with variable resistance based on the structure of the material. Applicable vertically, humid environments, flooded holes and repairs of structural cracks. Use temperatures: -10°C ÷ 35°C.

#### CERTIFICAZIONI

ETAG 029 for use on masonry



Code	Description	Box	Pack
NB61827	Polyester chemical cartridge NCF 300 ml styrene free	12 pcs	-
NB51040	Polyester chemical cartridge NCF 400 ml styrene free	12 pcs	-

### NCS - Polyester based chemical injection anchors with styrene




#### FEATURES

Polyester-based chemical injection anchor with styrene, suitable for medium-heavy fixings in non-critical applications. Suitable for threaded rods and reinforcing bars, it guarantees good adhesion and mechanical resistance. Optimized for outdoor applications. Use temperatures: -10°C ÷ 35°C.

#### CERTIFICATIONS

ETAG 029 FOR USE ON MASONRY



Code	Description	Box	Pack
NB61820	Polyester chemical cartridge NCF 400 ml styrene free	12 pcs	-
NB51030	Polyester chemical cartridge NCS 410 ml with styrene	12 pcs	-

**CHEMICAL FIXING ACCESSORIES**

Complete range of professional tools for extruding and mixing chemical anchors, with dedicated solutions for precise and efficient installation. Designed to ensure optimal application of resin-based systems in all installation conditions.

**PST-RB** - Basic chemical resin gun



Code	Description	Box	Pack
NB4055	Basic gun for 300 ml cartridge	1 pcs	12 boxes

**PST-RP** -Professional chemical resin gun



Code	Description	Box	Pack
NB4057	Professional gun for 400 ml cartridge	1 pcs	12 boxes

**MIXER** - Spout with helical mixer



Code	Description	Plastic bag	Pack
NB6859	Mixer nozzle with helical for chemical cartridge	50 pcs	2 Bags
NB98205	Mixer nozzle polybag with helical for chemical cartridge	12 pcs	10 Bags

## CHEMICAL FIXING ACCESSORIES

**AM** - Manual blower pump



Essential for removing dust from the substrate before applying the chemical anchor.



Code	Description	Box
NB4060	Blowing pump AM for hole cleaning	1 pcs

**SCO** - Steel hole brush



Designed to remove debris and improve the adhesion of the anchor during installation.



Code	Description	Box	Pack
NB72533	Steel brush SCO Ø 10	1 pcs	5 boxes
NB72540	Steel brush SCO Ø 12	1 pcs	5 boxes
NB72557	Steel brush SCO 14	1 pcs	5 boxes
NB72564	Steel brush SCO 18	1 pcs	5 boxes
NB72571	Steel brush SCO 24	1 pcs	5 boxes

**ALB** - Knurled internal threaded sleeve




Steel sleeve with internal threading and knurled outer surface for optimal grip.




Code	Description	Ø Foro muro	Box	Pack
NB5807	Steel net bushes internal thread ALB 6x48 for chemical fixing	8	50 pcs	10 boxes
NB5814	Steel net bushes internal thread ALB 8x80 for chemical fixing	12	50 pcs	5 boxes
NB5821	Steel net bushes internal thread ALB 10x80 for chemical fixing	14	50 pcs	5 boxes
NB5838	Steel net bushes internal thread ALB 12x80 for chemical fixing	16	50 pcs	5 boxes

**CHEMICAL FIXING ACCESSORIES**

**GN - GDN** - Polypropylene drilled sleeve for chemical fixing on perforated bricks also with insulation panels.




Cage with rear lock for housing the threaded rod and front funnel-shaped lock for precise centering of the fastening element.



Code	Description	Box	Pack
NB4084	Polypropilen single nylon sleeve GN 12x50 for chemical fixing	100 pcs	5 boxes
NB98632	Polypropilen single nylon sleeve GN 12x80 for chemical fixing	50 pcs	5 boxes
NB4091	Polypropilen single nylon sleeve GN 15x85 for chemical fixing	50 pcs	5 boxes
NB41836	Polypropilen single nylon sleeve GDN 15x130 for chemical fixing	40 pcs	2 boxes
NB4095	Polypropilen single nylon sleeve GN 16x85 for chemical fixing	50 pcs	5 boxes
NB4107	Polypropilen single nylon sleeve GN 20x85 for chemical fixing	20 pcs	5 boxes
NB4216	Polypropilen double nylon sleeve GDN 18x165 for thermal insulation fixing	10 pcs	45 buste
NB4221	Polypropilen double nylon sleeve GDN 18x215 for thermal insulation fixing	10 pcs	40 buste
NB4229	Polypropilen double nylon sleeve GDN 18x295 for thermal insulation fixing	10 pcs	25 buste

**GM** - Steel sleeve for chemical fixings at variable depths up to 1 m



Code	Description	Box	Pack
NB61834	Wire mesh sleeve GM Ø 12 with depths up to 1 m	10 pcs	10 boxes
NB61841	Wire mesh sleeve GM Ø 16 with depths up to 1 m	10 pcs	10 boxes
NB61858	Wire mesh sleeve GM Ø 22 with depths up to 1 m	5 pcs	10 boxes

## CHEMICAL FIXING ACCESSORIES

**BR** - Threaded rods with nut and washer. Resistance class 4.8



Code	Description	Ø T mm	LT mm	Box	Pack
NB41867	Threaded rod BR 6x60 complete with washer and nut	6	60	50 pcs	2.000
NB41868	Threaded rod BR 6x70 complete with washer and nut	8	70	50 pcs	500
NB4121	Threaded rod BR 8x100 complete with washer and nut	8	100	50 pcs	500
NB41870	Threaded rod BR 8x110 complete with washer and nut	8	110	50 pcs	500
NB45421	Threaded rod BR 8x125 complete with washer and nut	8	125	50 pcs	500
NB45425	Threaded rod BR 8x150 complete with washer and nut	8	150	50 pcs	250
NB4138	Threaded rod BR 10x110 complete with washer and nut	10	110	50 pcs	250
NB41872	Threaded rod BR 10x130 complete with washer and nut	10	130	50 pcs	250
NB4145	Threaded rod BR 10x145 complete with washer and nut	10	145	50 pcs	250
NB4152	Threaded rod BR 12x100 complete with washer and nut	12	100	25 pcs	250
NB45414	Threaded rod BR 12x110 complete with washer and nut	12	110	25 pcs	250
NB41874	Threaded rod BR 12x160 complete with washer and nut	12	160	25 pcs	250
NB48279	Threaded rod BR 16x140 complete with washer and nut	16	140	10 pcs	250
NB41876	Threaded rod BR 16x190 complete with washer and nut	16	190	10 pcs	250

A richiesta in acciaio Inox A2 - AISI 304, Inox A4 - 316.

**OC** - Eyebolt with metric thread. Class 66 UNI 5542-6565



Cold-formed stamped iron, white zinc-plated.




Code	Description	Ø T mm	LT mm	Box	Pack
NB34371	Cold-formed eyebolt OC 5x45 with metrical thread	5	45	200 pcs	10 boxes
NB34388	Cold-formed eyebolt OC 6x55 with metrical thread	6	55	100 pcs	10 boxes
NB34395	Cold-formed eyebolt OC 8x65 with metrical thread	8	65	50 pcs	10 boxes
NB34401	Cold-formed eyebolt OC 10x73 with metrical thread	10	73	50 pcs	5 boxes
NB34418	Cold-formed eyebolt OC 12x90 with metrical thread	12	90	25 pcs	5 boxes
NB34425	Cold-formed eyebolt OC 16x100 with metrical thread	16	100	25 pcs	2 boxes

**CHEMICAL FIXING ACCESSORIES**

**GA** - Hooks with metric thread. Class 66 UNI 5542-65



Cold-stamped iron, white zinc-plated.



Code	Description	Box	Pack
<b>NB34432</b>	Cold-formed hook GA 6x55 with metrical thread	100 pcs	10 boxes
<b>NB34449</b>	Cold-formed hook GA 8x65 with metrical thread	50 pcs	10 boxes
<b>NB34456</b>	Cold-formed hook GA 10x73 with metrical thread	50 pcs	5 boxes
<b>NB34463</b>	Cold-formed hook GA 12x90 with metrical thread	25 pcs	5 boxes
<b>NB34470</b>	Cold-formed hook GA 16x100 with metrical thread	25 pcs	2 boxes

**CHEMICAL FIXING ACCESSORIES**

Manual guns and accessories for the precise extrusion of silicones and sealants. Compatible with all coaxial cartridges, they guarantee application control and maximum efficiency.

**PST-SB** - Basic silicon gun



Code	Description	Box	Pack
<b>NB6866</b>	Standard injection gun for silicones 280/310 ml	1 pcs	12 boxes

**PST-SP** - Professional silicon gun



Code	Description	Box	Pack
<b>NB5876</b>	Professional injection gun for silicones 280/310 ml	1 pcs	12 boxes





▲  
Chemical fixing and construction joints

SCAFFOLDING, ROPES,  
CABLES FIXINGS

## SCAFFOLDING, ROPES AND CABLES FIXINGS


OC-24	66
PTRO	66
TA-U	66
NSB	67
SQ-T	67
SQ-I	67
STR 5	68
CB	68
NGC 50	68
TPE 48	69
FPR	69

**STEEL EYEBOLT**

Eyebolt Ø 24 mm with Ø 12 mm wood thread screw, available with or without nylon expansion anchor, for spaced installations, scaffolding and temporary structures. Suitable for applications on compact materials for high-capacity loads..

**SUPPORT MATERIAL** CONCRETE, NATURAL STONE, WOOD


**OC-24** - Eyebolt Ø 24 mm with Ø 12 mm wood thread screw



Su materiale pieno e forato

Code	Description	Ø O mm	LC mm	Ø V mm	Box	Pack
NB16650	Steel welded eyebolt OC-24 Ø 12x90	24	90	12	25 pcs	4 boxes
NB16667	Steel welded eyebolt OC-24 Ø 12x120	24	120	12	25 pcs	4 boxes
NB16674	Steel welded eyebolt OC-24 Ø 12x160	24	160	12	25 pcs	4 boxes
NB16681	Steel welded eyebolt OC-24 Ø 12x190	24	190	12	25 pcs	4 boxes
NB16698	Steel welded eyebolt OC-24 Ø 12x230	24	230	12	25 pcs	4 boxes
NB88780	Steel welded eyebolt OC-24 Ø 12x260	24	260	12	25 pcs	4 boxes
NB88800	Steel welded eyebolt OC-24 Ø 12x300	24	300	12	25 pcs	4 boxes
NB88810	Steel welded eyebolt OC-24 Ø 12x350	24	350	12	10 pcs	5 boxes
NB88820	Steel welded eyebolt OC-24 Ø 12x400	24	400	12	10 pcs	5 boxes
NB88830	Steel welded eyebolt OC-24 Ø 12x450	24	450	12	10 pcs	5 boxes
NB88840	Steel welded eyebolt OC-24 Ø 12x500	24	500	12	10 pcs	5 boxes

**PTRO** - Eyebolt Ø 24 mm with nylon anchor Ø 14 mm




Su materiale pieno e forato

Code	Description	Ø O mm	LC mm	Ø V mm	Ø T mm	LT mm	Box	Pack
NB3438	Steel welded eyebolt with nylon plug PTRO Ø 12x120	24	120	12	14	100	25 pcs	2 boxes
NB3445	Steel welded eyebolt with nylon plug PTRO Ø 12x160	24	160	12	14	100	25 pcs	2 boxes
NB3469	Steel welded eyebolt with nylon plug PTRO Ø 12x190	24	190	12	14	100	20 pcs	2 boxes
NB3476	Steel welded eyebolt with nylon plug PTRO Ø 12x230	24	230	12	16	160	20 pcs	2 boxes
NB3483	Steel welded eyebolt with nylon plug PTRO Ø 12x300	24	300	12	16	200	20 pcs	2 boxes

**SCAFFOLDING AND SAFETY ACCESSORIES**

**TA-U** - Hole cover cap for multi-diameter scaffolding Ø 14 - 16 -18



Code	Description	Ø T mm	LT mm	Box	Pack
NB5790	Scaffolding plug-in covering cap TA-U 18x37 mm	18	37	100 pcs	5 boxes

## SCAFFOLDING AND SAFETY ACCESSORIES



Complete range of accessories for safety and signalling for scaffolding and construction sites. Scaffolding support and load distributors, joint covers, pipe covers, signal mushrooms, also customisable, and spare parts for joints and scaffolding.

**APPLICATIONS** Scaffolding and general building

### NSB - Square support base



CERTIFIED PRODUCT



Scaffolding support square base with central storage hole (diameter 51), and radial holes on the surface for water drainage. Housing plate with containment section for the metal base, nailable on 4 sides, stackable and with underlying anchoring grid. Reflector with anti-release system. certified and customizable





Code	Description	H	L	P	Box	Pack
		mm	mm	mm		
NB50050	Squared universal scaffolding base NSB 22x19	15,5	185	215	40 pcs	-

### SQ-T - Rectangular support base



CERTIFIED PRODUCT




Scaffolding support rectangular base with central storage hole (diameter 51) and radial holes on the surface for water drainage. Housing plate with containment hole for the metal base, nailable on 4 sides, stackable and with underlying anchoring grid. Reflector with anti-release system. Certified and customizable.





Code	Description	H	L	P	Box	Pack
		mm	mm	mm		
NB50090	Rectangular scaffolding base SQ-T with central hole	16	185	215	50 pcs	-

### SQ-L - Inclined support base



CERTIFIED PRODUCT



Scaffolding support rectangular base inclined at 5° for scaffolding with central storage hole diameter 51 and radial holes on the surface for water drainage. Housing plate with containment hole for the metal base plate, nailable on 4 sides, stackable and with underlying anchoring grid. Reflector with anti-release system and stackable up to a maximum of 5 base plates with an angle of 25° for use on irregular, inclined surfaces, ramps and pitched roofs. Certified and customizable.



Code	Description	H max	L	P	Box	Pack
		mm	mm	mm		
NB50075	Rectangular inclined scaffolding base SQ-L with angle of 5°	28	188	245	40 pcs	-

SCAFFOLDING AND SAFETY ACCESSORIES

**STR 5** - Load distributor



CERTIFIED PRODUCT



Square load-distributing base for scaffolding, with central storage hole diameter 51 and 4 water drainage channels placed along the housing hole for the metal base. Central support plate raised and reinforced with 4 spurs per side. Nailable on the 4 sides, stackable and with underlying anchoring grid. Reflector with anti-release system suitable for use on embankments or where it is required in place of the plank at the base of the upright. Certified and customizable.





Code	Description	H mm	L mm	P mm	Box	Pack
NB50055	Base for scaffolding STR 5 load distributor	50	206	206	24 pcs	-

**CB** - Basic couplings cover



CERTIFIED PRODUCT



Polygonal couplings cover for protection and signaling of the underlying joint. Double interlocking anchoring system at both ends with housing ribs for any plastic binding straps. Reflector with anti-release system. Customizable item.



Code	Description	H mm	L mm	P mm	Ø T mm	Box	Pack
NB50120	Polygonal joint cover CB and signaling the underlying joint	187	125	77,5	48	70 pcs	-

**NGC 50** - SCAFFOLD TUBE COVER



Scaffold signaling tube cover for scaffolding uprights, external and internal, with 4 interlocking hooking systems, two central and two at the ends, housing ribs for possible additional binding with plastic ties in the center and at the ends. Customizable item.




Code	Description	Ø E mm	Ø T mm	L mm	Box	Pack
NB50148	Telescopic tubular metal frame cover NGC 50	56	48	490	50 pcs	-

# SCAFFOLDING AND SAFETY ACCESSORIES

**APPLICATIONS** Scaffolding and general building

## TPE 48 - Tube cover cap Ø 48




Soft rubber tube cover cap, ergonomic and with slots for housing the fingers at the base of the cap. Customizable item.




Code	Description	Ø T mm	H mm	Box	Pack
NB50168	Pipe cover cap TPE 48 soft rubber	48	40	100 pcs	-

## FPR - Red signaling cap Ø 6-22




Ergonomic signaling cap for 6-22 mm rods. With internal ribs in the cap and internal spurs in the central tube for anchoring the rods.



Code	Description	Ø I mm	H mm	L mm	Box	Pack
NB50171	Red rigid signal cap FPR Ø 6-22	6/22	60	59	250 pcs	-

## FPR - Red signaling cap Ø 22-35 and internal cap for scaffolding tube Ø 48



Ergonomic signalling cap for 22-35 mm rods. With internal ribs in the cap and internal spurs in the central tube for anchoring the rods. Dual function that allows it to also be used as an internal pipe cover cap in scaffolding tube Ø 48mm for protection and signalling



Code	Description	Ø I mm	H mm	L mm	Box	Pack
NB50182	Red rigid signal cap FPR Ø 22-35	22/35	60	56	250 pcs	-

Lined writing area consisting of multiple horizontal lines.







OUR BRANDS



Follow us



**NOBEX s.r.l.** Via Monviso, 5  
I - 27010 Siziano (PV)

T. +39 0381 650082 - WhatsApp +39 340 4090146  
mail. [info@nobex.it](mailto:info@nobex.it) - [nobex.it](http://nobex.it)





OUR BRANDS



Follow us



**NOBEX s.r.l.** Via Monviso, 5  
I - 27010 Siziano (PV)  
T. +39 0381 650082 - WhatsApp +39 340 4090146  
mail. [info@nobex.it](mailto:info@nobex.it) - [nobex.it](http://nobex.it)